


APM Direct

- Building Products -

Volume 3



Glass and Acrylic
Blocks
(pages 58-65)



Fireplace
Mantels
(pages 16-27)



Skylights
(pages 2-15)



Railing and Fencing
Systems
(pages 28-35)



Weather vanes
and
Cupolas
(pages 36-43)



Address
Plaques
(pages 44-57)



Customer Service

Table of Contents

Skylights
Pages 2 - 15

Fireplace Mantels
Pages 16 - 27

Railing & Fencing Systems
Pages 28 - 35

Weather vanes and Cupolas
Pages 36 - 43

Address Plaques
Pages 45 - 57

Glass and Acrylic Block
Pages 58 - 65

Shipping

All APM Direct products must be shipped within the 48 continental United States. Products are shipped via UPS, FedEx or common carrier.

	Lead Times	Shipping Charge
Skylights and Sun Tunnels	7-10 business days	FREE
Vinyl Railing & Fencing Systems	7-10 business days	FREE
Aluminum Railing & Fencing	10-12 business days	\$29.95
Mantels	15-20 business days	FREE
Weather vanes	7-10 business days	FREE
Cupolas	10-15 business days	FREE
	<i>(expect 4 weeks for sizes over 30")</i>	
Address Plaques	15-20 business days	FREE
Glass & Acrylic Block	10-15 business days	\$29.95

Return Policies

If you are dissatisfied with the product(s) that you selected from APM Direct we will gladly refund your purchase amount upon receiving the returned item(s) in sellable condition in the original carton with the following conditions:

All returned items must be shipped, freight prepaid, within 14 days of delivery to:

APM DIRECT
46 Gettysburg St
Arendtsville, PA 17303
Phone: 717-677-7308

A restocking fee may apply. See below:

Mantels

100% refund on one standard size item, 30% restocking on additional items. All custom sized mantels and shelves are non-returnable.

Skylights, Sun Tunnels, Vinyl Railing, Vinyl Fencing, Aluminum Railing, Aluminum Fencing, Weather vanes, Cupolas, Glass and Acrylic Block Products:

100% refund on one item, 30% restocking on additional items.

Address Plaques:

Personalized items may not be returned.

Damages

We make every effort possible to ensure that you receive your order without damage, however on occasion there are conditions beyond our control that will cause damage during the shipping process. If the item(s) that you purchased become damaged during shipment please document the damage with the freight company upon delivery and notify us immediately by calling 800-237-7470.

Pricing and Specifications

Merchandise specifications are subject to change without notice. Typographic, photographic and/or descriptive errors are subject to correction.

Contact Us

Address: APM Direct
PO Box 310
46 Gettysburg St
Arendtsville, PA 17303

Phone: 800-237-7470
717-677-7308

Fax: 717-677-7960

Email: info@apmdirect.com



Skylights

VELUX skylights and Sun Tunnel tubular skylights can transform any space with the addition of natural light and fresh air. Skylights can provide up to 30% more light than vertical windows, making a room look more spacious, brighter and lighter. We offer all models, including the new electrical venting skylight. Each model is available in several sizes. We also offer a number of sunscreening options for each model, including venetian blinds, cellular shades, awnings and more. All orders are shipped directly from the manufacturers' facilities to our customers.

INDEX

Venting Skylights	5-9
Non-Venting Skylights	10-13
Sun Tunnel Tubular Skylights	13
Manual and Electric Controls	14
Flashing Systems	15
Sunscreening Options	15
Glass Glazing Options	15

For product data and specs visit www.apmdirect.com



 **Phone Orders: 1-800-237-7470**

Photo Gallery




Photo Gallery




Control the light in your room with shades...




Sloped Walls




Flat Ceilings



Cathedral Ceilings



Flat or Low-Sloped Ceilings



VSE™ Electric Venting Skylight



The Ultimate Venting Skylight!

The optimal skylight system for convenient control of ventilation, heat gain and light control in the room.

- All VSE models come with one remote control for the skylight opener and blinds.
- Includes a pre-installed concealed motor, control system and two rain sensors and is pre-wired for sunscreening accessories.
- Dual rain sensors will automatically close the skylight when it senses moisture.
- Insect screen included with skylight.
- Available in nine different sizes.

101

104

106

108

304

Outside Frame	21-1/2 x 27-1/2	21-1/2 x 38-1/2	21-1/2 x 46-3/8	21-1/2 x 55	30-5/8 x 38-1/2
Rough Opening	21-1/2 x 28	21-1/2 x 39	21-1/2 x 46-7/8	21-1/2 x 55-1/2	30-1/2 x 39
Finished Framing Dimension	20-1/2 x 26-1/4	20-1/2 x 37-3/16	20-1/2 x 45-1/16	20-1/2 x 53-3/4	29-9/16 x 37-3/16
EXC Rough Opening	21-1/2 x 34-1/2	21-1/2 x 46-1/8	21-1/2 x 54-1/2	21-1/2 x 63-1/2	30-1/2 x 46-1/8
EMX Rough Opening	21-1/2 x 30-1/4	21-1/2 x 41-3/8	21-1/2 x 49-3/8	21-1/2 x 58-1/8	30-1/2 x 41-3/8

Glass Glazing
 (See pg 15)

	Item #	Item #	Item #	Item #	Item #
VSE Comfort	-	VSE104-C	VSE106-C	VSE108-C	VSE304-C
VSE ComfortPlus	VSE101-CP	VSE104-CP	VSE106-CP	VSE108-CP	VSE304-CP
VSE ComfortPlus Copper	-	VSE104-CPC	VSE106-CPC	VSE108-CPC	VSE304-CPC

Flashing Systems
 (See pg 15)

	Item #				
EDL Step Flashing	EDL101	EDL104	EDL106	EDL108	EDL304
EDL Copper Step Flashing	EDLC101	EDLC104	EDLC106	EDLC108	EDLC304
EDW High Profile Flashing	EDW101	EDW104	EDW106	EDW108	EDW304
EDM Metal Roof Flashing	EDM101	EDM104	EDM106	EDM108	EDM304
ECX Roof Curb (pitch 0°-10°)	ECX101	ECX104	ECX106	ECX108	ECX304
EMX Roof Curb (pitch 10°-15°)	EMX101	EMX104	EMX106	EMX108	EMX304

Sunscreening Options
 (See pg 15)

	Item #				
Electric LightBlock Shades Color: White	DMA101	DMA104	DMA106	DMA108	DMA304
Electric Cellular Shades Color: Translucent White	FMA101	FMA104	FMA106	FMA108	FMA304
Electric Venetian Blinds Color: Eggshell White	PMA101	PMA104	PMA106	PMA108	PMA304
Electric HeatBlock Awning Color: Charcoal	MMA101	MMA104	MMA106	MMA108	MMA304

Skylights



VSE™ Electric Venting Skylight

306



30-5/8 x 46-3/8
30-1/2 x 46-7/8
29-9/16 x 45-1/16
30-1/2 x 54-1/2
30-1/2 x 49-3/8

308



30-5/8 x 55
30-1/2 x 55-1/2
29-9/16 x 53-3/4
30-1/2 x 63-1/2
30-1/2 x 58-1/8

601



44-3/4 x 27-1/2
44-3/4 x 28
43-3/4 x 26-1/4
44-3/4 x 34-1/2
44-3/4 x 30-1/4

606



44-3/4 x 46-3/8
44-3/4 x 46-7/8
43-3/4 x 45-1/16
44-3/4 x 54-1/2
44-3/4 x 49-3/8



Outside Frame
Rough Opening
Finished Framing Dimension
EXC Rough Opening
EMX Rough Opening

Item #	Item #	Item #	Item #	Glass Glazing
VSE306-C	VSE308-C	-	VSE606-C	VSE Comfort
VSE306-CP	VSE308-CP	VSE601-CP	VSE606-CP	VSE ComfortPlus
VSE306-CPC	VSE308-CPC	-	VSE606-CPC	VSE ComfortPlus Copper

Item #	Item #	Item #	Item #	Flashing Systems
EDL306	EDL308	EDL601	EDL606	EDL Step Flashing
EDLC306	EDLC308	EDLC601	EDLC606	EDL Copper Step Flashing
EDW306	EDW308	EDW601	EDW606	EDW High Profile Flashing
EDM306	EDM308	EDM601	EDM606	EDM Metal Roof Flashing
ECX306	ECX308	ECX601	ECX606	EXC Roof Curb (pitch 0°-10°)
EMX306	EMX308	EMX601	EMX606	EMX Roof Curb (pitch 10°-15°)

Item #	Item #	Item #	Item #	Sunscreening Options
DMA306	DMA308	DMA601	DMA606	Electric LightBlock Shades Color: White
FMA306	FMA308	FMA601	FMA606	Electric Cellular Shades Color: Translucent White
PMA306	PMA308	PMA601	PMA606	Electric Venetian Blinds Color: Eggshell White
MMA306	MMA308	MMA601	MMA606	Electric HeatBlock Awning Color: Charcoal

VS® Manual Venting Skylight



Ideal for kitchens, baths and other humid areas in the home.

- VS models open to allow maximum ventilation.
- Contributes to a home's proper moisture balance and comfort level by allowing stale and humid air to be released.
- Expanded glass area for maximum light and views.
- Insect screen included with skylight.
- Available in nine different sizes.

101

104

106

108

304

Outside Frame	21-1/2 x 27-1/2	21-1/2 x 38-1/2	21-1/2 x 46-3/8	21-1/2 x 55	30-5/8 x 38-1/2
Rough Opening	21-1/2 x 28	21-1/2 x 39	21-1/2 x 46-7/8	21-1/2 x 55-1/2	30-1/2 x 39
Finished Framing Dimension	20-1/2 x 26-1/4	20-1/2 x 37-3/16	20-1/2 x 45-1/16	20-1/2 x 53-3/4	29-9/16 x 37-3/16
EXC Rough Opening	21-1/2 x 34-1/2	21-1/2 x 46-1/8	21-1/2 x 54-1/2	21-1/2 x 63-1/2	30-1/2 x 46-1/8
EMX Rough Opening	21-1/2 x 30-1/4	21-1/2 x 41-3/8	21-1/2 x 49-3/8	21-1/2 x 58-1/8	30-1/2 x 41-3/8

Glass Glazing

(See pg 15)

	Item #				
VS Comfort	VS101-C	VS104-C	VS106-C	VS108-C	VS304-C
VS ComfortPlus	VS101-CP	VS104-CP	VS106-CP	VS108-CP	VS304-CP
VS ComfortPlus Copper	VS101-CPC	VS104-CPC	VS106-CPC	VS108-CPC	VS304-CPC

Flashing Systems

(See pg 15)

	Item #				
EDL Step Flashing	EDL101	EDL104	EDL106	EDL108	EDL304
EDL Copper Step Flashing	EDLC101	EDLC104	EDLC106	EDLC108	EDLC304
EDW High Profile Flashing	EDW101	EDW104	EDW106	EDW108	EDW304
EDM Metal Roof Flashing	EDM101	EDM104	EDM106	EDM108	EDM304
ECX Roof Curb (pitch 0°-10°)	ECX101	ECX104	ECX106	ECX108	ECX304
EMX Roof Curb (pitch 10°-15°)	EMX101	EMX104	EMX106	EMX108	EMX304

Sunscreening Options

(See pg 15)

	Item #				
Manual Cellular Shades Color: Translucent White	FDA101	FDA104	FDA106	FDA108	FDA304
Manual Venetian Blinds Color: Eggshell White	PDA101	PDA104	PDA106	PDA108	PDA304
Manual HeatBlock Awning Color: Charcoal	MMA101	MMA104	MMA106	MMA108	MMA304



Skylights



VS® Manual Venting Skylight

306



30-5/8 x 46-3/8
30-1/2 x 46-7/8
29-9/16 x 45-1/16
30-1/2 x 54-1/2
30-1/2 x 49-3/8

308



30-5/8 x 55
30-1/2 x 55-1/2
29-9/16 x 53-3/4
30-1/2 x 63-1/2
30-1/2 x 58-1/8

601



44-3/4 x 27-1/2
44-3/4 x 28
43-3/4 x 26-1/4
44-3/4 x 34-1/2
44-3/4 x 30-1/4

606



44-3/4 x 46-3/8
44-3/4 x 46-7/8
43-3/4 x 45-1/16
44-3/4 x 54-1/2
44-3/4 x 49-3/8



Outside Frame
Rough Opening
Finished Framing Dimension
EXC Rough Opening
EMX Rough Opening

Item #	Item #	Item #	Item #	Glass Glazing
VS306-C	VS308-C	VS601-C	VS606-C	VS Comfort
VS306-CP	VS308-CP	VS601-CP	VS606-CP	VS ComfortPlus
VS306-CPC	VS308-CPC	VS601-CPC	VS606-CPC	VS ComfortPlus Copper

Item #	Item #	Item #	Item #	Flashing Systems
EDL306	EDL308	EDL601	EDL606	EDL Step Flashing
EDLC306	EDLC308	EDLC601	EDLC606	EDL Copper Step Flashing
EDW306	EDW308	EDW601	EDW606	EDW High Profile Flashing
EDM306	EDM308	EDM601	EDM606	EDM Metal Roof Flashing
ECX306	ECX308	ECX601	ECX606	EXC Roof Curb (pitch 0°-10°)
EMX306	EMX308	EMX601	EMX606	EMX Roof Curb (pitch 10°-15°)

Item #	Item #	Item #	Item #	Sunscreening Options
FDA306	FDA308	FDA601	FDA606	Manual Cellular Shades Color: Translucent White
PDA306	PDA308	PDA601	PDA606	Manual Venetian Blinds Color: Eggshell White
MMA306	MMA308	MMA601	MMA606	Manual HeatBlock Awning Color: Charcoal

GPL® Manual Venting Skylight



Increase Living Space Under the Sloped Roof

- Available in two different sizes that open to a 45 degree angle to satisfy Egress requirements for emergency escape.
- Ideal for the attic or bonus room's sloped ceilings and angular walls.
- When roof window is closed a ventilation flap can be opened.
- For roof pitches from 20° to 55°.
- Insect screens are optional.

M08



S06



Outside Frame
 Rough Opening

30-5/8 x 55
 31-1/8 x 55-1/2

44-3/4 x 46-3/8
 45-1/4 x 46-7/8

Glass Glazing

(See pg 15)

Item #

Item #

GPL ComfortPlus

GPLM08-CP

GPLS06-CP

Flashing System

(See pg 15)

Item #

Item #

EDL Step Flashing

EDLM08

EDLS06

EDH High Profile Flashing

EDHM08

EDHS06

Sunscreening Options

(See pg 15)

Item #

Item #

Manual LightBlock Shades
 Color: White

DKLM08

DKLS06

Manual Venetian Blinds
 Color: Eggshell White

PALM08

PALS06

Manual Roller Shades
 Color: Opaque Beige

RHLM08

RHLS06

Manual HeatBlock Awning
 Color: Charcoal

MHLM08

MHLS06

Insect Screen

Item #

Item #

Optional Insect Screen

ZILM08

ZILS06

GDL Cabrio™ Balcony Roof Window



Expand Interiors to the Outdoors

- Features exclusive dual-sash operation. Top sash opens for maximum ventilation. Bottom sash opens outward to create a roof balcony.
- Vent flap opens for air circulation in any weather.
- For roof pitches from 35° to 53°.
- Insect screens are optional.
- Price includes flashing system.

P19



Outside Frame
 Rough Opening

37 x 100
 37-1/2 x 100-1/2

Glass Glazing

(See pg 15)

Item #

GDL ComfortPlus

GDLP19-CP

Sunscreening Options

(See pg 15)

Item #

Manual Venetian Blinds (Top Sash)
 Color: Eggshell White

PALP10

Manual Venetian Blinds (Bottom Sash)
 Color: Eggshell White

PALP04

Manual Roller Shades
 Color: Opaque Beige
 (Order (2) two for Cabrio top and bottom sash)

RHLP00



Skylights



FSF® Fixed Skylight



Fixed skylight with a ventilation flap for a breath of fresh air.

- Exclusive vent flap opens for air circulation in any weather.
- Ideal for laundry rooms, hallways and closets.
- Captures abundant daylight with large glass area.
- Available in five different sizes.

104



106



304



308



606



Outside Frame	21-1/2 x 38-1/2	21-1/2 x 46-3/8	30-5/8 x 38-1/2	30-5/8 x 55	44-3/4 x 46-3/8
Rough Opening	21-1/2 x 39	21-1/2 x 46-7/8	30-1/2 x 39	30-1/2 x 55-1/2	44-3/4 x 46-7/8
Finished Framing Dimension	20-1/2 x 37-3/16	20-1/2 x 45-1/16	29-9/16 x 37-3/16	29-9/16 x 53-3/4	43-3/4 x 45-1/16
EXC Rough Opening	21-1/2 x 46-1/8	21-1/2 x 54-1/2	30-1/2 x 46-1/8	30-1/2 x 63-1/2	44-3/4 x 54-1/2
EMX Rough Opening	21-1/2 x 41-3/8	21-1/2 x 49-3/8	30-1/2 x 41-3/8	30-1/2 x 58-1/8	44-3/4 x 49-3/8

Glass Glazing

(See pg 15)

	Item #				
FSF ComfortPlus	FSF104-CP	FSF106-CP	FSF304-CP	FSF308-CP	FSF606-CP

Flashing Systems

(See pg 15)

	Item #				
EDL Step Flashing	EDL104	EDL106	EDL304	EDL308	EDL606
EDW High Profile Flashing	EDW104	EDW106	EDW304	EDW308	EDW606
EDM Metal Roof Flashing	EDM104	EDM106	EDM304	EDM308	EDM606
ECX Roof Curb (pitch 0°-10°)	ECX104	ECX106	ECX304	ECX308	ECX606
EMX Roof Curb (pitch 10°-15°)	EMX104	EMX106	EMX304	EMX308	EMX606

Sunscreening Options

(See pg 15)

	Item #				
Manual Venetian Blinds Color: Eggshell White	PFP104	PFP106	PFP304	PFP308	PFP606
Electric Venetian Blinds Color: Eggshell White	PMP104	PMP106	PMP304	PMP308	PMP606
Manual Roller Shades Color: Opaque Beige	RAF104	RAF106	RAF304	RAF308	RAF606



Phone Orders: 1-800-237-7470

FS® Fixed Skylight



Natural lighting and dramatic views for family rooms, bedrooms, hallways, and closets.

- Stationary skylight captures natural light to visually enlarge rooms.
- Perfect for adding sunlight to closed-in, dark spaces.
- Can add either manual or electric controlled blinds or shades.
- Available in twelve different sizes.

056

101

104

106

108

112

Outside Frame	15-5/16 x 46-3/8	21-1/2 x 27-1/2	21-1/2 x 38-1/2	21-1/2 x 46-3/8	21-1/2 x 55	21-1/2 x 70-7/8
Rough Opening	14-1/2 x 46-7/8	21-1/2 x 28	21-1/2 x 39	21-1/2 x 46-7/8	21-1/2 x 55-1/2	21-1/2 x 71-3/8
Finished Framing Dimension	14-1/2 x 45-1/16	20-1/2 x 26-1/4	20-1/2 x 37-3/16	20-1/2 x 45-1/16	20-1/2 x 53-3/4	20-1/2 x 69-9/16
EXC Rough Opening	N/A	21-1/2 x 34-1/2	21-1/2 x 46-1/8	21-1/2 x 63-1/2	21-1/2 x 63-1/2	21-1/2 x 80-1/4
EMX Rough Opening	N/A	21-1/2 x 30-1/4	21-1/2 x 41-3/8	21-1/2 x 49-3/8	21-1/2 x 58-1/8	21-1/2 x 74-1/4

Glass Glazing

(See pg 15)

	Item #					
FS Comfort	FS056-C	FS101-C	FS104-C	FS106-C	FS108-C	FS112-C
FS ComfortPlus	FS056-CP	FS101-CP	FS104-CP	FS106-CP	FS108-CP	FS112-CP
FS ComfortPlus Copper	FS056-CPC	FS101-CPC	FS104-CPC	FS106-CPC	FS108-CPC	FS112-CPC

Flashing Systems

(See pg 15)

	Item #					
EDL Step Flashing	EDL056	EDL101	EDL104	EDL106	EDL108	EDL112
EDL Copper Step Flashing	EDLC056	EDLC101	EDLC104	EDLC106	EDLC108	EDLC112
EDW High Profile Flashing	EDW056	EDW101	EDW104	EDW106	EDW108	EDW112
EDM Metal Roof Flashing	EDM056	EDM101	EDM104	EDM106	EDM108	EDM112
ECX Roof Curb (pitch 0°-10°)	N/A	ECX101	ECX104	ECX106	ECX108	ECX112
EMX Roof Curb (pitch 10°-15°)	N/A	EMX101	EMX104	EMX106	EMX108	EMX112

Sunscreening Options

(See pg 15)

	Item #					
Electric LightBlock Shades Color: White	N/A	DMF101	DMF104	DMF106	DMF108	DMF112
Manual Cellular Shades Color: Translucent White	N/A	FFF101	FFF104	FFF106	FFF108	FFF112
Electric Cellular Shades Color: Translucent White	N/A	FMF101	FMF104	FMF106	FMF108	FMF112
Manual Venetian Blinds Color: Eggshell White	N/A	PFF101	PFF104	PFF106	PFF108	PFF112
Electric Venetian Blinds Color: Eggshell Blinds	N/A	PMF101	PMF104	PMF106	PMF108	PMF112
Manual Roller Shades Color: Opaque Beige	RAF056	RAF101	RAF104	RAF106	RAF108	RAF112
Electric HeatBlock Awning Color: Charcoal	MMA056	MMA101	MMA104	MMA106	MMA108	MMA112



Skylights



FS® Fixed Skylight

302



30-5/8 x 30-5/8
30-1/2 x 31-1/8
29-9/16 x 29-3/8
N/A
N/A

304



30-5/8 x 38-1/2
30-1/2 x 39
29-9/16 x 37-3/16
30-1/2 x 46-1/8
30-1/2 x 41-3/8

306



30-5/8 x 46-3/8
30-1/2 x 46-7/8
29-9/16 x 45-1/16
30-1/2 x 54-1/2
30-1/2 x 49-3/8

308



30-5/8 x 55
30-1/2 x 55-1/2
29-9/16 x 53-3/4
30-1/2 x 63-1/2
30-1/2 x 58-1/8

601



44-3/4 x 27-1/2
44-3/4 x 28
43-3/4 x 26-1/4
44-3/4 x 34-1/2
44-3/4 x 30-1/4

606



44-3/4 x 46-3/8
44-3/4 x 46-7/8
43-3/4 x 45-1/16
44-3/4 x 54-1/2
44-3/4 x 49-3/8



Outside Frame
Rough Opening
Finished Framing Dimension
EXC Rough Opening
EMX Rough Opening

Item #	Glass Glazing					
FS302-C	FS304-C	FS306-C	FS308-C	FS601-C	FS606-C	FS Comfort
FS302-CP	FS304-CP	FS306-CP	FS308-CP	FS601-CP	FS606-CP	FS ComfortPlus
FS302-CPC	FS304-CPC	FS306-CPC	FS308-CPC	FS601-CPC	FS606-CPC	FS ComfortPlus Copper

Item #	Flashing Systems					
EDL302	EDL304	EDL306	EDL308	EDL601	EDL606	EDL Step Flashing
EDLC302	EDLC304	EDLC306	EDLC308	EDLC601	EDLC606	EDL Copper Step Flashing
EDW302	EDW304	EDW306	EDW308	EDW601	EDW606	EDW High Profile Flashing
EDM302	EDM304	EDM306	EDM308	EDM601	EDM606	EDM Metal Roof Flashing
N/A	ECX304	ECX306	ECX308	ECX601	ECX606	ECX Roof Curb (pitch 0°-10°)
N/A	EMX304	EMX306	EMX308	EMX601	EMX606	EMX Roof Curb (pitch 10°-15°)

Item #	Sunscreening Options					
DMF302	DMF304	DMF306	DMF308	DMF601	DMF606	Electric LightBlock Shades Color: White
FFF302	FFF304	FFF306	FFF308	FFF601	FFF606	Manual Cellular Shades Color: Translucent White
FMF302	FMF304	FMF306	FMF308	FMF601	FMF606	Electric Cellular Shades Color: Translucent White
PFF302	PFF304	PFF306	PFF308	PFF601	PFF606	Manual Venetian Blinds Color: Eggshell White
PMF302	PMF304	PMF306	PMF308	PMF601	PMF606	Electric Venetian Blinds Color: Eggshell Blinds
RAF302	RAF304	RAF306	RAF308	RAF601	RAF606	Manual Roller Shades Color: Opaque Beige
MMA302	MMA304	MMA306	MMA308	MMA601	MMA606	Electric HeatBlock Awning Color: Charcoal



Phone Orders: 1-800-237-7470

FCM™ Curb Mounted Fixed Skylights



Quality skylight designed for curb mounted installation.

- Sized to work with all types of site-built curbs.
- No designated top, bottom, or sides, so you can install it in whatever direction you desire.
- Great source of natural light for curb mount applications.
- For roof pitches from 15° to 60°.
- Available in five different sizes.

2222



2234



2246



3030



4646



Inside Curb Dimension
Outside Curb Dimension
Skylight Dimension

22-1/2 x 22-1/2
25-1/2 x 25-1/2
26-5/8 x 26-5/8

22-1/2 x 34-1/2
25-1/2 x 37-1/2
26-5/8 x 38-5/8

22-1/2 x 46-1/2
25-1/2 x 49-1/2
26-5/8 x 50-5/8

30-1/2 x 30-1/2
33-1/2 x 33-1/2
34-5/8 x 34-5/8

46-1/2 x 46-1/2
49-1/2 x 49-1/2
50-5/8 x 50-5/8

Glass Glazing

(See pg 15)

	Item #				
FCM Comfort	FCM2222-C	FCM2234-C	FCM2246-C	FCM3030-C	FCM4646-C
FCM ComfortPlus	FCM2222-CP	FCM2234-CP	FCM2246-CP	FCM3030-CP	FCM4646-CP
FCM Impact Glass	FCM2222-I	-	FCM2246-I	-	FCM4646-I

Flashing Systems

(See pg 15)


	Item #				
ECL Curb Step Flashing	ECL2222	ECL2234	ECL2246	ECL3030	ECL4646

Sunscreening Options

(See pg 15)

	Item #				
Manual Cellular Shades Color: Translucent White	FHG2222	FHG2234	FHG2246	FHG3030	FHG4646
Electric Awning Color: Black	MMC2222	MMC2234	MMC2246	MMC3046	MMC4646

Sun Tunnel



Perfect for hallways, bathrooms, kitchens, and walk-in closets, anywhere that needs more natural light.

- 14" Sun Tunnel is for rafter 16" on center.
- 22" Sun Tunnel is for rafter 24" on center.
- Complete roof-to-ceiling skylights that install in less than two hours.
- Unique flexible tubing goes around attic obstructions (6' included).

Size	Item #
14" Sun Tunnel - Acrylic Dome	TSF0140000
22" Sun Tunnel - Acrylic Dome	TSF0220000
14" Sun Tunnel - Impact Dome	TSF0141000
22" Sun Tunnel - Impact Dome	TSF0221000
*Additional Tubing (10' of 14" Tubing)	ZTF014
*Additional Tubing (12' of 22" Tubing)	ZTF022
Night Light (fluorescent bulb not included, fits both 14" and 22")	ZTL100 - F

*Additional tubing can be cut to size.



Skylights



Electric and Manual Controls

Item #



6' - 10' Telescopic Manual Rod

Operates venting units and manual sunscreening with a smooth-turning operation.

ZCT300



6' - 10' Manual Rod for FCM Models

ZST300



6' - 10' Telescopic Motorized Rod

Rechargeable, battery operated rod allows easy control of venting units and manual sunscreening.

ZMT300



3' Rod Extension

Attaches to the ZMT300 and ZCT300 rods.

ZCT100



Crank Handle

Operates VS skylights for within-reach applications.

ZZZ169

Cord Pulley

For Roller Shades in out of reach applications.

ZAZ090

Skylight Replacement Hook

ZZZ179

Electrical Controls

NOTE: No controls are required for the VSE model because the VSE includes a pre-installed control system and includes a remote control.



UNicontrol for Electric Accessories

Power supply with toggle switch operates one electric sunscreening accessory.

KES160



COMBicontrol for Electric Accessories

One COMBicontrol unit powers up to 3 electric accessories. Applications with more than 3 electric accessories will require additional COMBicontrol units. Keypad WLI160 is required for operation.

WLC160



Keypad for Electrical Blinds

Wall mounted, remote-ready design can be programmed for unit, room or whole-house control. Each switch can operate one blind.

WLI160




Remote for Electrical Accessories

Used in conjunction with the keypad WLI160, this slim remote utilizes infrared technology to operate electric blinds from anywhere in the room.

WLR160


One Blind Application

One electric blind is controlled by the power supply and keypad KES160.




Two or Three Blind Application

Electric blinds are controlled by the power supply WLC160 and the required keypad WLI160. Optional remote-control WLR160 can be added.



Multiple Blind Application

Additional WLC160 power supply needed for every 3 electrical blinds. One keypad WLI160 required. Optional remote WLR160 and additional keypads can be added.



Phone Orders: 1-800-237-7470

Flashing Systems



EDL Step Flashing

For use with thin roofing material such as asphalt fiberglass shingles, slate, cedar shingles or shakes. Each piece of step flashing is interwoven with a layer of roofing material for proper water run-off and to provide a weathertight seal around the unit. Required for roof pitches from 15° (3/12) to 85° (11/12).




ECX / EMX Roof Curbs

Velux prefabricated roof curbs provide the proper pitch necessary for skylight installation on flat and low-pitched roofs. Required for roof pitches 0 through 3/12. ECX - 0° to 10° (2/12). EMX - 10° (2/12) to 15° (3/12).



EDW High Profile Flashing

For use with high profile roofing materials such as concrete and Spanish tile. Required for roof pitches from 15° (3/12) to 85° (11/12).



EDM Metal Roof Flashing

For use with metal roofing materials. Required for roof pitches from 15° (3/12) to 85° (11/12).



ECL Curb Step Flashing

For use with curb mounted skylights (model FCM). Designed for 2x6 or 2x4 site-built curbs made to standard dimensions. For roof pitches from 15° (3/12) to 60°.

Sunscreening Options



Cellular Shades

- Offers soft lighting or room darkening with convenient manual or electrical operation.
- Available in translucent white.
- Increases energy efficiency more than 50%.
- Diffuses sunlight and reduces UV fading.
- Available for VSE, VS, FS, and FCM models.




Venetian Blinds

- Offers optimal glare and light control by directing the light where you want with convenient manual or electrical operation.
- Available in eggshell white.
- Features thermal coating (heat barrier) on the exterior side. Keeps heat out during the summer and in during the winter.
- Increases energy efficiency up to 12%.
- Available for models VSE, VS, FSF, FS, GDL and GPL.



LightBlock Shades

- Perfect for room darkening.
- Available in white.
- Features thermal coating (heat barrier) on the exterior side. Keeps heat out during the summer and in during the winter.
- Increases energy efficiency up to 20%.
- Electric controls raise or lower the shade at the touch of a button.
- Available for models VSE, FS and GPL.



HeatBlock Awning

- Offers the best possible control of heat gain. Reduces the solar heat gain up to 40% more than the already energy efficient Comfort glazing.
- Blocks heat while still allowing a clear view to the outside.
- Available in charcoal net cloth.
- Available for models VSE, VS, FS and GPL.




Roller Shades

- Perfect for room darkening.
- Available in Opaque Beige.
- Manual operation with a pull cord when in reach, or optional cord pulley used in conjunction with Velux Control Rod when out a reach.
- Available for models FSF, FS, GDL and GPL.


Glass Glazing Options

Comfort Glazing



VELUX utilizes the latest technology in producing their own insulated glass to ensure that it meets the highest efficiency standards. Comfort Glazing ensures that VELUX products provide unparalleled protection against heat gain and heat loss, fading and condensation. Comfort Glazings are also superior to plastic because it is more energy efficient, more durable, and reduces external noises (rain). Also, unlike plastic it will not discolor, leak or allow drafts.

Comfort Plus Glazing



Comfort Glass allows a broad spectrum of light into the home and is extremely durable and essentially maintenance free. Plastic diffuses light and obscures views, and may degrade with time and exposure to the elements. Comfort Glass consists of tempered safety glass double-coated with Low-E, dual-sealed and injected with Argon for energy efficiency.

ComfortPlus Glass is an available upgrade for all roof windows and skylights. ComfortPlus Glass offers maximum protection and indoor comfort. ComfortPlus features a laminated pane of glass for added safety and protection from fade-causing rays. When broken, ComfortPlus Glass has a spider web effect like a car windshield, rather than breaking into small shards of glass. **Building codes in certain geographic areas require the ComfortPlus Glass. Please review your local and state building codes. Residents of California must upgrade to ComfortPlus Glass per California state law.**

ComfortPlus Copper Glass possesses the same characteristics as the ComfortPlus, mentioned above. ComfortPlus Copper is made to work in conjunction with the EDL Copper flashing for a unique copper look.

Impact Glass for the FCM Curb Mounted Skylight is approved for use in all wind zones (except for zones requiring Dade protocols).



Fireplace Mantels and Shelves

WinterBrand offers a wide selection of fireplace mantels and shelves, sure to please any décor and budget. Every mantel is handbuilt by skilled craftsman, using superior construction methods and premium materials. All fireplace mantels and shelves can be custom built to fit your specifications.

All orders are shipped unfinished, giving you the ability to successfully match the finish of your existing woodwork, furniture and/or floors. Our WinterBrand Mantels and Shelves are shipped directly from the factory to you, saving time and money.

Ordering your mantel is easy! We have designed one of the most user friendly measuring systems in the industry. With 3 basic measurements, we can fit any mantel to your existing fireplace.

Pricing is simple. We have four basic mantel and shelf sizes. Our custom pricing is based off of these sizes, which eliminates the need to charge higher prices for custom mantels.

Create that unique look. WinterBrand Mantels and Shelves are available in three different wood options. MDF, Birch and Oak. We illustrate our Birch and Oak mantels using several different stain (Minwax) finishes and paints. Each picture describes the finish that was used, making it easy to choose the wood finish that is right for you.

INDEX


Measuring Mantels	17
Value Series	18
Select Series	19-21
Signature Series	22-23
Shelves	24-25
Installing Mantels	26
Installing Shelves	27



 **Phone Orders: 1-800-237-7470**

Measuring Mantels


- A** = Shelf Length
- B** = Opening Width
- C** = Opening Height
- D** = Body Width
- E** = Overall Height
- F** = Shelf Depth
- G** = Return Depth
- H** = Leg Width
- J** = Breast Height



Measuring For a Mantel

Step 1: Take the following measurements:

- B** = Width of the facing material = Opening width of mantel (B)
- C** = Height of the facing material = Opening height of mantel (C)
- G** = Return depth of the facing material = Return depth of mantel (G)



Step 2: Use measurements from Step 1 to select your mantel size.

- Return depth (G) is 1" standard for all WinterBrand mantels. Your mantel's return depth should equal the facing material thickness PLUS 1/4" for clearance.
- If your facing material thickness is greater than 1", please refer to our custom mantel section.
- The scribe molding that is sent with each mantel order is used as a finishing trim between the inside of the mantel and the facing material.

If you do not find a mantel size that works for your application, simply customize any mantel online at, www.apmdirect.com/mantelstore or give us a call.

Step 3: Checklist:

Once you have selected your mantel size, double check the following items.

1. Make sure that the mantel is not too wide that it touches an existing wall, window or door.
(Mantel shelf width (A) divided by 2 must be less than the width from center of the fireplace to any obstruction. i.e. wall, window or door)
2. Make sure the mantel is not too wide that the legs do not sit on the existing hearth. The legs should sit on the hearth.
(Mantel body width (D) must be less than the width of the hearth) Or, in the event that the facing material and hearth are the same width, the legs can be set off the hearth on the floor. (Note, special consideration will need to be taken if the hearth is raised)

If either of these checklist items are a problem, the mantel size you selected may not work.

More Questions? To understand more about mantel measurements, please visit the APM Direct mantel installation section of our website. www.apmdirect.com/mantelstore

Mantels



Value Series

Count the savings in time and money. The Value Series mantels are available in MDF, Birch and Oak, MDF (Medium Density Fiberboard) is made from wood fibers and is a great low cost alternative wood. Its hard surface resists dents and scratches and its low cost will save you money on your painted applications. Our Birch mantels are made of clear Birch wood with clear White Pine moldings that can be either painted or stained. Oak mantels are made with clear Red Oak wood and Red Oak moldings, which are also either paintable or stainable. Please view the different woods with the different finishes listed below for ideas. The stains used were Minwax brand. **All WinterBrand mantels are shipped unfinished.**

All stock size Value Series mantels offer the same dimensions, listed below. Custom sizes are available.

	A Shelf Length	B Opening Width	C Opening Height	D Body Width	E Overall Height	F Shelf Depth	G Return Depth	H Leg Width
Small	66"	48"	41"	60"	53-5/8"	8"	1"	6"
Medium	72"	54"	42"	66"	54-5/8"	8"	1"	6"
Large	76"	58"	42"	70"	54-5/8"	8"	1"	6"
X-Large	80"	62"	45"	74"	57-5/8"	8"	1"	6"



Ashford
Shown in Oak with Clear Polyurethane Finish



Gifford
Shown in MDF with Antique White Paint



Oxford
Shown in MDF with Antique White Paint



Waterford
Shown in MDF with White Paint



Milford
Shown in Birch with Early American Stain



Buford
Shown in Oak with Clear Polyurethane Finish



Stratford
Shown in Birch with Golden Oak Stain



Hartford
Shown in Birch with Red Mahogany Stain



Smithford
Shown in Oak with Clear Polyurethane Finish

Select Series

Elegant yet affordable. Our Select Series mantels offer style with more body than our Value Series mantels. Most of the leg widths and breast heights are larger than the Value Series. The Select Series mantels are available in MDF, Birch and Oak. MDF (Medium Density Fiberboard) is made from wood fibers and is a great low cost alternative wood. Its hard surface resists dents and scratches and its low cost will save you money on your painted applications. Our Birch mantels are made of clear Birch wood with clear White Pine moldings that can be either painted or stained. Our Oak mantels are made with clear Red Oak wood and Red Oak moldings, which are also either paintable or stainable.

Please view the different woods with the different finishes listed below for ideas. The stains used were Minwax brand.

All WinterBrand mantels are shipped unfinished.

**All Select Series mantels have a return depth of 1". Custom sizes available.
 Specs listed on page 21.**



Cambridge
 Shown in Birch with Cherry Stain



Winchester
 Shown in Birch with Satin White Paint



Springfield
 Shown in Birch with White Satin Paint



Westbury
 Shown in MDF with Antique White Panel



Rosewood
 Shown in Oak with Early American Stain



Chadwick
 Shown in Oak with Clear Polyurethane Finish

Mantels



Select Series (continued)
Specs listed on page 21



Stonebridge
Shown in Oak with Clear Polyurethane Finish



Augustine
Shown in MDF with Antique White Paint



Hathaway
Shown in Oak with Clear Polyurethane Finish



Montgomery
Shown in Birch with Cherry Stain



Woodbridge
Shown in MDF with White Satin Paint



Devonshire
Shown in Birch with Early American Stain



Brandywine
Shown in Birch with Antique White Paint




Norland
Shown in MDF with White Satin Paint




Berkley
Shown in Birch with Red Mahogany Stain

Select Series Specifications



- A = Shelf Length
- B = Opening Width
- C = Opening Height
- D = Body Width
- E = Overall Height
- F = Shelf Depth
- G = Return Depth
- H = Leg Width
- J = Breast Height



B = Opening Width = Facing Material Width
 C = Opening Height = Facing Material Height
 G = Return Depth = Facing Material Thickness plus 1/4 inch
 For more measuring information, see page 17.

		A Shelf Length	B Opening Width	C Opening Height	D Body Width	E Overall Height	F Shelf Depth	H Leg Width
Cambridge	Small	66	48	41	60	54-3/4	8	6
	Medium	72	54	42	66	55-3/4	8	6
	Large	76	58	42	70	55-3/4	8	6
	X-Large	80	62	45	74	58-3/4	8	6
Winchester	Small	70	48	41	64	55-1/8	8	8
	Medium	76	54	42	70	56-1/8	8	8
	Large	80	58	42	74	56-1/8	8	8
	X-Large	84	62	45	78	59-1/8	8	8
Springfield	Small	70	48	41	64	55-7/8	8	8
	Medium	76	54	42	70	56-7/8	8	8
	Large	80	58	42	74	56-7/8	8	8
	X-Large	84	62	45	78	59-7/8	8	8
Westbury	Small	70	48	41	64	54-3/4	8	8
	Medium	76	54	42	70	55-3/4	8	8
	Large	80	58	42	74	55-3/4	8	8
	X-Large	84	62	45	78	58-3/4	8	8
Rosewood	Small	70	48	41	64	54-3/4	8	8
	Medium	76	54	42	70	55-3/4	8	8
	Large	80	58	42	74	55-3/4	8	8
	X-Large	84	62	45	78	58-3/4	8	8
Chadwick	Small	74	48	41	64	54-3/4	8	8
	Medium	80	54	42	70	55-3/4	8	8
	Large	84	58	42	74	55-3/4	8	8
	X-Large	88	62	45	78	58-3/4	8	8
Stoneridge	Small	77-1/2	48	41	64	56-1/2	10	8
	Medium	81-1/2	54	42	70	57-1/2	10	8
	Large	85-1/2	58	42	74	57-1/2	10	8
	X-Large	89-1/2	62	45	78	60-1/2	10	8
Augustine	Small	77-1/2	48	41	64	55-5/8	10-3/4	8
	Medium	83-1/2	54	42	70	56-5/8	10-3/4	8
	Large	87-1/2	58	42	74	56-5/8	10-3/4	8
	X-Large	91-1/2	62	45	78	59-5/8	10-3/4	8
Hathaway	Small	72	48	41	66	54-5/8	8	9
	Medium	78	54	42	72	55-5/8	8	9
	Large	82	58	42	76	55-5/8	8	9
	X-Large	86	62	45	80	58-5/8	8	9
Montgomery	Small	70	48	41	64	54-7/8	8	8
	Medium	76	54	42	70	55-7/8	8	8
	Large	80	58	42	74	55-7/8	8	8
	X-Large	84	62	45	78	58-7/8	8	8
Woodbridge	Small	72	48	41	66	55	8	9
	Medium	78	54	42	72	56	8	9
	Large	82	58	42	76	56	8	9
	X-Large	86	62	45	80	59	8	9
Devonshire	Small	70	48	41	64	54-3/4	8	8
	Medium	76	54	42	70	55-3/4	8	8
	Large	80	58	42	74	55-3/4	8	8
	X-Large	84	62	45	78	58-3/4	8	8
Brandywine	Small	73-1/2	48	41	64	57-1/4	8	8
	Medium	79-1/2	54	42	70	58-1/4	8	8
	Large	83-1/2	58	42	74	58-1/4	8	8
	X-Large	87-1/2	62	45	78	61-1/4	8	8
Norland	Small	72	48	41	64	54-7/8	8	8
	Medium	78	54	42	70	55-7/8	8	8
	Large	82	58	42	74	55-7/8	8	8
	X-Large	86	62	45	78	58-7/8	8	8
Berkley	Small	72	48	41	64	55-3/4	8	8
	Medium	78	54	42	70	56-3/4	8	8
	Large	82	58	42	74	56-3/4	8	8
	X-Large	86	62	45	78	59-3/4	8	8

* All Select Series mantels have a return depth of 1". Custom sizes available.
 Note: Dimensions are in inches.

Mantels

Signature Series

Our top of the line mantel. The Signature Series mantels offer style and elegance to the fullest. Signature Series mantels are shipped fully assembled where our Value and Select mantels are shipped knocked down. The Signature Series mantels are available in MDF and Oak. MDF (Medium Density Fiberboard) is made from wood fibers and is a great low cost alternative wood. Its hard surface resists dents and scratches and its low cost will save you money on your painted applications. Our Oak mantels are made with clear Red Oak wood and Red Oak moldings, which are either paintable or stainable. Please view the different woods with the different finishes listed below for ideas. The stains used were Minwax brand. **All WinterBrand mantels are shipped unfinished.**

**All Select Series mantels have a return depth of 1". Custom sizes available.
Specs listed on page 23.**



Dublin
Shown in MDF with Antique White Paint



Victoria
Shown in Oak with Clear Polyurethane Finish



Nottingham
Shown in MDF with Satin White Paint



Wentworth
Shown in Oak with Special Walnut Stain





Conventry
Shown in Oak with Clear Polyurethane Finish




Yorkshire
Shown in MDF with Satin White Paint

Signature Series Specifications



- A = Shelf Length
- B = Opening Width
- C = Opening Height
- D = Body Width
- E = Overall Height
- F = Shelf Depth
- G = Return Depth
- H = Leg Width
- J = Breast Height



B = Opening Width = Facing Material Width
 C = Opening Height = Facing Material Height
 G = Return Depth = Facing Material Thickness plus 1/4 inch
 For more measuring information, see page 17.

		A Shelf Length	B Opening Width	C Opening Height	D Body Width	E Overall Height	F Shelf Depth	H Leg Width
Dublin	Small	68-3/8	48	41	60-1/2	53-3/8	8	6-1/4
	Medium	74-3/8	54	42	66-1/2	54-3/8	8	6-1/4
	Large	78-3/8	58	42	70-1/2	54-3/8	8	6-1/4
	X-Large	82-3/8	62	45	74-1/2	57-3/8	8	6-1/4
Victoria	Small	73	48	41	64	59-5/8	7-1/2	8
	Medium	79	54	42	70	60-5/8	7-1/2	8
	Large	83	58	42	74	60-5/8	7-1/2	8
	X-Large	87	62	45	78	63-5/8	7-1/2	8
Nottingham	Small	77-3/8	48	41	68-1/2	56-3/4	8	10-1/4
	Medium	83-3/8	54	42	74-1/2	57-3/4	8	10-1/4
	Large	87-3/8	58	42	78-1/2	57-3/4	8	10-1/4
	X-Large	91-3/8	62	45	82-1/2	60-3/4	8	10-1/4
Wentworth	Small	73-1/4	48	41	64-1/2	55-1/4	8-1/4	8-1/4
	Medium	79-1/4	54	42	70-1/2	56-1/4	8-1/4	8-1/4
	Large	83-1/4	58	42	74-1/2	56-1/4	8-1/4	8-1/4
	X-Large	87-1/4	62	45	78-1/2	59-1/4	8-1/4	8-1/4
Conventry	Small	73	48	41	64-1/2	55-1/4	8-1/4	8-1/4
	Medium	79	54	42	70-1/2	56-1/4	8-1/4	8-1/4
	Large	83	58	42	74-1/2	56-1/4	8-1/4	8-1/4
	X-Large	87	62	45	78-1/2	59-1/4	8-1/4	8-1/4
Yorkshire	Small	72-3/8	48	41	64-1/2	55-7/8	10-1/2	8-1/4
	Medium	78-3/8	54	42	70-1/2	56-7/8	10-1/2	8-1/4
	Large	82-3/8	58	42	74-1/2	56-7/8	10-1/2	8-1/4
	X-Large	86-3/8	62	45	78-1/2	59-7/8	10-1/2	8-1/4

* All Select Series mantels have a return depth of 1". Custom sizes available.
 Note: Dimensions are in inches.

Mantels



Shelves

Our shelves are available in MDF, Birch and Oak. MDF (Medium Density Fiberboard) is made from wood fibers and is a great low cost alternative wood. Its hard surface resists dents and scratches and its low cost will save you money on your painted applications. Our Birch shelves are made of clear Birch wood with clear White Pine moldings that can be either painted or stained. Oak mantels are made with clear Red Oak wood and Red Oak moldings, which are also paintable or stainable. Please view the different woods with the different finishes listed below for ideas. The stains used were Minwax brand.

All WinterBrand mantel shelves are shipped unfinished.

Specs listed on page 25.



Harrington
Shown in MDF with Antique White Paint



Wellington
Shown in Oak with Clear Polyurethane Finish



Addington
Shown in Birch with Satin White Paint



Kingston
Shown in Oak with Clear Polyurethane Finish



Brighton
Shown in Birch with Mahogany Stain



Lexington
Shown in Oak with Clear Polyurethane Finish



Paxton
Shown in MDF with Satin White Paint



Charleston
Shown in MDF with Satin White Paint



Easton
Shown in Birch with Early American Stain

Shelf Specifications



A = Shelf Length
W = Bottom Width
X = Shelf Height
F = Shelf Depth
Y = Bottom Depth

If the stock sizes below do not work for your application, simply customize any shelf online at www.apmdirect.com/mantelstore or give us a call.

	A Shelf Length	W Bottom Width	X Shelf Height	F Shelf Width	Y Bottom Depth	Size
 Harrington	48	40.75	3.5	7.25	4.5	Small
	60	52.75	3.5	7.25	4.5	Medium
	72	64.75	3.5	7.25	4.5	Large
 Wellington	48	41.25	5.25	8	5	Small
	60	53.25	5.25	8	5	Medium
	72	65.25	5.25	8	5	Large
 Addington	48	41.5	3.5	6	2.5	Small
	60	53.5	3.5	6	2.5	Medium
	72	65.5	3.5	6	2.5	Large
 Kingston	48	40	4.75	8	4	Small
	60	52	4.75	8	4	Medium
	72	64	4.75	8	4	Large
 Brighton	48	41.75	5	8	4.75	Small
	60	53.75	5	8	4.75	Medium
	72	65.75	5	8	4.75	Large
 Lexington	48	41	5.25	8	4.75	Small
	60	53	5.25	8	4.75	Medium
	72	65	5.25	8	4.75	Large
 Paxton	48	42	5	8	5	Small
	60	54	5	8	5	Medium
	72	66	5	8	5	Large
 Charleston	48	39	5.75	8	4	Small
	60	51	5.75	8	4	Medium
	72	63	5.75	8	4	Large
 Easton	48	40.5	6.25	10	6.25	Small
	60	52.5	6.25	10	6.25	Medium
	72	64.5	6.25	10	6.25	Large

Mantels

Mantel Assembly and Installation Instructions

Remove the scribes from the back of the header. These will attach to the inside opening of the mantel once it is installed.
 (Note: with some of the Signature Mantels, the scribe will already be attached to the inside opening)

Assembly/Installation:

- Attach legs to the header of mantel with screws provided. Legs should fit perfectly into header where "biscuit" cuts are located.
- Place mantel against the wall where you wish to have it installed. With the mantel held against the wall, draw a line across the top of the mantel, marking the height.
- Find the location of the studs below the shelf line and mark the location of the studs on the line.
- Place mantel back against the wall and with a drill, drill a hole through the shelf at a 45 degree angle through the sheetrock and stud.*
- Drive a finishing nail into each stud. This should hold the mantel firmly to the wall. If not, proceed to next step.
- Repeat the same process as above on each leg using studs at the base of the wall and floor line.

If you do not wish to use nails, liquid nail can be used as well.

Once your mantel is installed, place the three scribes (attached to the back of the header) along the inside opening of the mantel and secure with liquid nail, finishing nails or wood glue.

*If applying the mantel brick, a masonry drill bit and masonry nails or liquid nail can be used.

1. Fireplace Facing Material




Fig. 1a
 (B-width, C-height) (G-return depth/facing material thickness)
 The facing material illustrated above is (B=48", C=41", G=3/4")



Fig. 1b

2. Fireplace Mantel




Fig. 2
 (B-width, C-height)
 The mantel illustrated above is (B=48", C=41", G=1")

3. Standing directly above mantel looking down



Fig. 3a
 (Left Leg)

Illustrates how mantel legs fit fireplace facing material.



Fig. 3b
 (Right Leg)

4. Installing mantel to the wall



Fig. 4a

Illustrates fastening mantel to the wall.



Fig. 4b

5. Installed without scribe molding.



Fig. 5a

Illustrates unfinished area where facing material meets inside of mantel.



Fig. 5b

6. Installing scribe molding.



Fig. 6a

Illustrates installing scribe molding to achieve finished look.



Fig. 6b

Notes:

Fasten the mantel to the wall like the directions above.

You should note that there will be a gap between the fireplaces facing material (brick, tile, marble or slate) and the mantel legs. The mantel's inside scribe molding is used to cover the gap between the mantel and the facing material. Depending on the thickness of the facing material, this scribe may need to be cut down. Put the scribe molding into position and nail scribe molding to the mantel leg and header. Make sure you keep pressure on the leg when nailing to keep the leg from moving. Helpful Hing: Predrill holes in each scribe piece for nails to be fastened into the mantel.

Shelf Installation Instructions



A = Shelf Length
W = Bottom Width
X = Shelf Height
F = Shelf Depth
Y = Bottom Depth

Note: All shelves come with a mounting board.

Step 1 - Fasten the mounting board to the wall using the proper fasteners (not included).

Step 2 - Place mantel shelf over the mounting board.

Step 3 - Use screws or nails to fasten top of shelf to mounting board.

Helpful Hint: Pre-drill holes for nails or screws to be fastened into the mounting board.

1. Installing mounting board.



2. Placing shelf onto mounting board.



3. Fastening the shelf to the mounting board.





Railing and Fencing

Vinyl Railing and Fencing:

The Fairway vinyl railing and fencing systems are simple to install, easy to clean and will not yellow, crack or splinter. All vinyl systems are maintenance free.

The vinyl railing system is one of the easiest and most flexible railing systems in the industry. It uses a bracketed system, which allows for flexibility. The brackets get attached to the newel posts or columns, then the rails are attached to the brackets. This flexibility allows you to install the brackets to whatever height to meet your specifications. Both top and bottom rails are reinforced with an aluminum channel for added strength. Fairway's railing systems meet or exceed the required Boca building codes.

The vinyl fencing systems offer easy installation for both privacy and decorative fencing units. No more painting long stretches of fencing, all units are maintenance free!

Fairway Railing Systems meet or exceed the following requirements of the Boca Building Code Section 1615.8. Concentrated load of 200 lbf applied at any point and in any direction along the top rail member. 50 lbf per foot applied horizontally simultaneous with 100 lbf per foot applied vertically downward. The in-fill area shall be subjected to 200 lbf applied on a 1ft area at any point of the system.

Fairway Railing Systems are backed with a Limited Lifetime Warranty and 30 year commercial warranty to be free from defective workmanship and materials. When subject to normal and proper use, it is further warranted against surface peeling, rot, ground insects, corrosion, flaking, rusting and blistering, abnormal weathering or abnormal discoloration under normal use and service. Fairway warrants only those products manufactured by Kroy and the warranty is transferable to new property owners.

Aluminum Railing and Fencing:

Aluminum railing and fencing provide stylish, functional and practical forms of security to any application. Aluminum columns offer a stylish look while providing structural support. Our aluminum railing, fencing and column products are made from durable aluminum with a long-lasting powder coat finish. The powder coat finish provides a rust-free finish that requires no painting. Overall, these metal products are durable and virtually maintenance-free. All metal railing and fencing products are manufactured by Kingsford Products.


INDEX

Square Picket Vinyl Railing	29
Turned Spindle Vinyl Railing	29
Vinyl Railing Post Options	30
Vinyl Railing Brackets and Components	31
Vinyl Porch Posts	31
Vinyl Lamp Posts	31
Vinyl Fencing Systems	32
Aluminum Columns	33
Aluminum Railing	34
Aluminum Fencing	35



 **Phone Orders: 1-800-237-7470**


Railing and Fencing Systems



Post Options

Vinyl Post Wraps

Vinyl Post Wraps are designed to wrap around existing 4" x 4" or 6" x 6" posts. This post system consists of four vinyl sections designed to decorate and protect the wood with virtually no maintenance. Our system fastens to the post simply by overlapping the vinyl. For a sturdy construction we suggest using our White Vinyl Adhesive or a comparable substitute.



Description

Item

4" x 4" x 96" Post Wrap	F401060
6" x 6" x 96" Post Wrap	F401062
4" x 4" x 108" Post Wrap	F401063
6" x 6" x 108" Post Wrap	F401064
White Vinyl Adhesive	F401087

Turned Newel Posts

Vinyl Turned Newel Posts are designed to work in conjunction with the structural posts (sold separately below). Simply remove the top block from the structural post, slide the newel post over the structural post, and then place the top block back onto the structural post. Can be trimmed to any desired height. For a decorative finished look, add a post cap and base ring.



Description

Item

4" x 4" x 38" Turned Newel Post	F400270
4" x 4" x 54" Turned Newel Post	F400272

Post Sleeves

Post Sleeves can either be slipped over a 4" x 4" or over the structural posts (sold separately below). Can be trimmed to any desired height. For a decorative finished look, add a post cap and base ring.




Description

Item

4" x 4" x 48" Vinyl Post Sleeve	F401018
4" x 4" x 96" Vinyl Post Sleeve	F401020

Structural Posts

Structural Posts can be mounted to existing deck or concrete surfaces. Cover the structural post with your choice of either a square post sleeve or turned newel post (sold separately above). The Self-leveling Kit allows you to "level" the post on an unlevel or uneven surface by adjusting the plates at the bottom of the post.



Description

Item

(A) 4" x 4" x 42" Structural Post	F401021
(B) 4" x 4" x 42" Self-leveling Structural Post	F401021A
Joist Bracket for Structural Post (not shown)	F401002

Post Cap Accessories

Description	Item #	Description	Item #
 4" Classic Cap	F401048	 4" Internal Flat Cap	F901204
 4" Gothic Cap	F901202	 4" Pyramid Cap	F901203
 4" Decorative Ball Cap	F901211	 4" Base Trim Ring	F900350

Brackets

Each railing kit includes four brackets — two for the top rail and two for the bottom rail. Additional brackets may be necessary if you plan to cut one kit into two sections. Cutting a kit into two sections will require two additional brackets for the top rail and two for the bottom rail.



Standard Bracket

Description	Item #
Standard Rail Mounting Bracket (Level)	F401080
Standard Rail Mounting Bracket (Stair)	F401081
Standard Rail Mounting Bracket (45 Degree)	F401079



Contoured Bracket

Description	Item #
Contoured Rail Mounting Bracket (Level)	F900386
Contoured Rail Mounting Bracket (Stair)	F900387
Contoured Rail Mounting Bracket (45 Degree)	F401077

Railing Components

Description	Item #
1-1/4" x 1-1/4" x 31" Turned Spindle	F900133
1-1/4" x 1-1/4" x 39" Turned Spindle	F900135
1-3/8" x 1-3/8" x 31" Square Picket	F900333
1-3/8" x 1-3/8" x 39" Square Picket	F900333A

Note: When ordering an additional rail, you must order the vinyl rail AND the aluminum insert (sold separately).

6' Standard Rail (vinyl only)	F401105
8' Standard Rail (vinyl only)	F401145
6' Contoured Rail (vinyl only)	F401115
8' Contoured Rail (vinyl only)	F401155
6' Aluminum P-Channel Insert for Standard Rail	F401041A
8' Aluminum P-Channel Insert for Standard Rail	F401043A
6' Aluminum Insert for Contoured Rail	F401035A
8' Aluminum Insert for Contoured Rail	F401037A

Porch Posts

Structural vinyl porch posts are available in three styles. 5" porch posts are load tested at 5000 lbs and the 4" are load tested at 3400 lbs. All posts are constructed with a full length 3-1/4" extruded aluminum insert and plastic inner supports. Porch posts are easily cut to size and easy to install. All porch posts come complete with powder coated top and bottom plates.



- A — Traditional**
- B — Colonial**
- C — Raised Panel**

Description	Item #
5" x 5" x 104" Traditional Post (A)	F400200
5" x 5" x 104" Colonial Post (B)	F400210
5" x 5" x 104" Raised Panel Post (C)	F400220
4" x 4" x 104" Traditional Post (A)	F400202
4" x 4" x 104" Colonial Post (B)	F400205



Full Length 3-1/4" aluminum insert with plastic supports.



Porch post plates, powder coated to match posts.

Lamp Posts

Vinyl lamp posts are available in three styles. Easy to cut to size and to install. It is recommended to concrete posts into the ground. Powder coated cap is included with all 5" model lamp posts.



- A — Traditional**
- B — Colonial**
- C — Raised Panel**
(shown above)

Description	Item #
5" x 5" x 104" Colonial Lamp Post (B)	F400240
5" x 5" x 104" Raised Panel Lamp Post (C)	F400250
5" x 5" x 104" Traditional Lamp Post (A)	F400230
4" x 4" x 104" Traditional Lamp Post (A)	F400251
4" x 4" x 104" Colonial Lamp Post (B)	F400261

Railing and Fencing Systems



Vinyl Fencing Systems

Solid Privacy Fence

Enjoy the privacy of a v-groove tongue and groove fence. Great for around patios, hot tubs, and swimming pools. Available in white. Height: 72", width of section: 69" on center.



Description

6' Solid Privacy Fence Unit
(Posts and caps not included)

Item

F405050

9' Line Post
9' Corner Post
9' End Post

F405054

F405055

F405056

Privacy with Lattice Fence

Enjoy the privacy of a v-groove tongue and groove fence with the elegance of a lattice accent on top. Available in white. Height: 72", width of section: 69" on center.



Description

6' Privacy with Lattice Fence Unit
(Posts and caps not included)

Item

F405060

9' Line Post
9' Corner Post
9' End Post

F405064

F405065

F405066

Post Caps

5" post caps fit both the 9' or 8' posts for either the Solid Privacy Fence or Privacy with Lattice Fence.



Description

5" Ball Cap

Item

F900225

Price

\$7.56



Description

5" Gothic Cap

Item

F901200

5" Classic Cap

F401049

\$12.28

5" Pyramid Cap

F901201

3' Level Picket Fence

Accent your yard with our neighbor friendly picket fence. The pickets are installed through the rails as opposed to attached. Contemporary design with a classic traditional look. Eleven pickets per kit (7/8" x 3" x 32") with 3" spacing. Available in white. Height: 36", width of section: 73" on center.



Description

3' Level Picket Fence Unit
(Posts and caps not included)

Item

F405070

5' Line Post
5' Corner Post
5' End Post

F405071

F405072

F405073

4' Scalloped Picket Fence

With the routed picket fence design the pickets are installed through the rails as opposed to attached. This allows for a great look from both sides. Enjoy the contemporary design with the traditional look of a classic scalloped picket fence. Eleven pickets per kit (7/8" x 3" x varies) with 3" spacing. Available in white. Height: 48", width of section: 73" on center.



Description

4' Scalloped Picket Fence Unit
(Posts and caps not included)

Item

F405080

6' Line Post
6' Corner Post
6' End Post

F405081

F405082

F405083

Post Caps

4" post caps fit both the 9' or 8' posts for either the Level Picket Fence or Scalloped Picket Fence.



Description

4" Ball Cap

Item

F901211



Description

4" Gothic Cap

Item

F901202

4" Classic Cap


F401048

4" Pyramid Cap


F901203

Aluminum Columns



These stately, white columns have a baked acrylic finish for long life and are easily installed in both remodeling and new construction projects. For remodeling projects the sectionalized column staves wrap around existing posts and snap together for easy fast installation. For new construction the columns have great load-bearing strength (see load table below). Two-piece bases and caps are included with each column. Square and round columns available. Lengths include 8', 10', 12', 16', 20', and 24'. Can be cut to size.



Round



Square



Column Size	Dimensions in Inches				Number of Staves	E Standard Lengths	Safe Working Load	Wrap around these existing square post sizes
	A	B	C	D				
4" Square	4"	5-9/16"	1-3/4"	5/8"	2	8'	5,200 lbs	N/A
6" Square	5-1/2"	7"	1-3/4"	9/16"	2	8', 10', 12'	7,400 lbs	4"
8" Square	8"	9-1/2"	1-7/8"	5/8"	4	8', 10', 12', 16'	10,000 lbs	5" and 6"
6" Round	6"	7-1/2"	1-1/2"	3/4"	3	8', 10', 12'	10,900 lbs	4"
8" Round	8"	10-3/8"	1-5/8"	3/4"	3	8', 10', 12', 16'	11,700 lbs	5"
10" Round	10"	12-1/14"	1-3/4"	3/4"	4	8', 10', 12', 16', 20', 24'	15,700 lbs	6"
12" Round	12"	14-1/2"	2-1/2"	1-3/8"	4	8', 10', 12', 16', 20', 24'	19,000 lbs	8"
15" Round	15"	18-3/4"	2-1/2"	1-1/2"	5	12', 16', 20', 24'	38,800 lbs	9"



Square Columns




Round Columns



Round Columns

Railing and Fencing Systems




Aluminum Railing The Summit Collection

Aluminum railing from the Summit Collection adds beauty to any project, including decks, porches, patios, walkways, balconies and more. The Summit Collection is the top of the line and is as strong as most steel rail. Available in 2' to 8' pre-assembled sections. Color choices include white or black.

- Powder Coated, Will Never Rust
- Adjustable For Steps and Slopes
- Weather Resistant and Durable

- Virtually Maintenance-Free
- Easy to Install
- Top Rail Width, 2-1/2"



Summit Railing Details

Available Sizes:

Height: 36" or 42"
Width: 2', 3', 4', 5', 6', 7', or 8'

Available Colors:

White or Black

- Installation fittings, rivet covers, decorative accessories, and newel posts sold separately.
- Newel posts are available with or without a welded flange in the following sizes; 2-1/2" x 37", 2-1/2" x 43", or 2-1/2" x 48"

Aluminum Fencing

Aluminum fencing is durable, long lasting and does not rust. You'll never have to worry about rust corrosion. The powder-coated finish is more resistant to chipping, scratching, fading and wearing than other finishes. No need to prime, sand or paint. Color choices include black, white, bronze and green.



Black



White



Bronze



Green

Color swatches are digital reproductions. Actual color may vary from colors shown above.

Estate Collection

- Economical / Standard
- Posts: 2" Square
- Posts: Line, Corner, End, Gate, 3-Way
- Pickets: 5/8" Square
- Width: 72" wide, Pre-Assembled Sections
- Heights: 36", 42", 48", 54", 60", 72"
- Rails: 1" x 1" Channel
- Matching Gates are Available
- Modifications made to meet Swimming Pool Codes / Regulations (BOCA) are available.
- Installation fittings, posts, decorative accessories, and matching gates are sold separately.



Castlegate



Windsor



Legacy



Baltimore

Executive Collection

- Heavy Duty / Extra Strength
- Posts: 2-1/2" Square
- Posts: Line, Corner, End, Gate, 3-Way
- Pickets: 1" Square
- Width: 72" wide, Pre-Assembled Sections
- Heights: 36", 42", 48", 54", 60", 72", 84", 96"
- Rails: 1-5/8" x 1-5/8" Channel
- Matching Gates are Available
- Modifications made to meet Swimming Pool Codes / Regulations (BOCA) are available.
- Installation fittings, posts, decorative accessories, and matching gates are sold separately.



Fairfield



Aspinwall



Thurston



Lancaster



GOOD DIRECTIONS, INC.

Weathervanes and Cupolas

We offer a complete line of weathervanes, cupolas and garden accessories by Good Directions, Inc. Good Directions, Inc. has been producing weathervanes for over a quarter of a century. The uniquely designed traditional and more contemporary sculptures are hand-crafted of solid copper and brass. Most items are offered in both polished copper and antiqued finish. The antiqued finish is an oxidized process that deepens with age. Polished copper figures will gradually oxidize with age in 7 to 10 months unless polished and sprayed with lacquer finish. Mounting options are sold separately on page 43.

INDEX




Full Size Weathervanes	37-39
Garden Weathervanes	40
Country Cupolas	41-42
Mounting Hardware	43
Windchimes	43

APM
Direct
SM
- Building Products -

 **Phone Orders: 1-800-237-7470**

Full Size Weathervanes

We offer a complete line of full size weathervanes by Good Directions, Inc. Our full size weathervanes includes full-bodied copper figures, copper spacer balls, solid brass directionals, and a steel rod. These weathervanes are offered in both the polished copper and antiqued finish. The antiqued finish is an oxidized process that deepens with age. Polished copper figures will gradually oxidize with age in 7 to 10 months unless polished and sprayed with lacquer finish. Mounting options are sold separately on page 43.



Key	Description	Size L x H x D	Antiqued Item #	Polished Item #
1	Moon/Sun/Star	34 x 20 x -	643	643P
2	Attack Eagle	17.5 x 20 x 26.5	N/A	659P
3	Blue Heron	26 x 24 x 24	606	606P
4	3 Geese in Flight	28 x 14.5 x 20	657	657P
5	Eagle	21 x 17 x 21	502	502P
6	Landing Duck	19 x 17 x 27.5	605	605P
7	Osprey with Fish	19 x 17 x 27.5	614	N/A
8	Ascending Goose	23 x 17 x 23	615	615P
9	Cat and Mouse	30 x 7 x -	640	N/A
10	Labrador Retriever	23 x 17 x -	560	560P
11	Golden Retriever	26 x 17 x -	N/A	644P
12	Fox	33 x 17.5 x 4	655	655P
13	Quail	25 x 16 x -	631	631P
14	Pheasant	25 x 32 x 25	N/A	656P
15	Feather Goose	20 x 23 x 29	N/A	663P

*Measurement is for figure only. Directionals, spacer balls and rod measures 18"L x 18"H
 *See page 43 for Mounting Hardware

Weather vanes and Cupolas



Full Size Weather vanes




16



17

18



19



20



21



22



23



24



25



26



27



28



29



30



31



32



33

Key	Description	Size L x H x D	Antiqued Item #	Polished Item #
16	Hi-Wing	25.5 x 10 x 29	626	N/A
17	Lo-Wing	24.5 x 9 x 29	627	N/A
18	Biplane	22 x 9 x 22	521	521P
19	Moose	24 x 20 x -	557	557P
20	Elk	22 x 23 x -	N/A	648P
21	Standing Deer	22.5 x 27	638	638P
22	Pelican	21 x 21.5 x -	509	N/A
23	Cow	22.5 x 15 x -	552	N/A
24	Arrow	23 x 15 x -	611S	N/A
25	Whimsical Pig	26 x 15 x 6	608	608P
26	Patchen Horse	31 x 15 x -	623	623P
27	Large Horse	33 x 18 x 4	580	580P
28	Barn Rooster	27 x 25 x -	616	N/A
29	Crowing Rooster	25 x 18.5 x -	637	637P
30	Rooster	25 x 19 x -	501	501P
31	Large Rooster	27 x 25 x -	515	515P
32	Sulky	31 x 15.5 x 7.5	504S	N/A
33	Country Doctor	26.5 x 14 x 5	N/A	548P

*Measurement is for figure only. Directionals, spacer balls and rod measures 18"L x 18"H
*See page 43 for Mounting Hardware

Full Size Weathervanes



34



35



36



37



38




39



40



41



42



43



44



45



46



47



48




49



50



51



52



53



54



55



Key	Description	Size L x H x D	Antiqued Item #	Polished Item #
34	Banner	25 x 19 x -	628	628P
35	Peace Dove	17.5 x 13 x -	617	N/A
36	Angel	27 x 13 x 4	630	630P
37	Large Whale	37 x 16 x -	505	N/A
38	Yawl	22.5 x 25 x 4	907S	907SP
39	Sailfish	31 x 21 x -	517	N/A
40	Double Dolphin	20 x 18 x -	639	N/A
41	Bass	27 x 12 x -	602	N/A
42	Dolphin	27 x 16 x -	507	N/A
43	Mermaid	29 x 14 x -	649	649P
44	Golfer	27 x 30 x 2	561	561P
45	Fireman	26 x 26 x -	N/A	546P
46	Large Sailboat	28 x 36.5 x 3	907	907P
47	Lighthouse	27 x 16 x 6.5	624	624P
48	Pine Trees	31 x 16 x 2.5	625	N/A
49	Locomotive	24.5 x 12 x 5	N/A	553P
50	Pineapple	27 x 17 x -	635	N/A
51	Victorian Arrow	28.5 x 21 x -	642	642P
52	Handsaw	27 x 20 x -	N/A	629P
53	Large Sloop	30 x 30 x 6	908	N/A
54	American Flag	15 x 30 x -	N/A	667P
55	Schooner	25 x 21 x 5	601	601P

*Measurement is for figure only. Directionals, spacer balls and rod measures 18"L x 18"H
*See page 43 for Mounting Hardware

Weather vanes and Cupolas




Garden Weather vanes



Garden Weather vane

The Garden Weather vane is a smaller version of the classic full size weather vane. They are hand-crafted of copper and brass and are individually packaged with all the required mounting accessories. They are sold with either the self-standing 43" pole for the lawn and garden or the roof mount for rooftops, gazebos, decks, tables or stanchions.



Key	Description	Size L x H x D	Garden Weather vanes Item #	Rooftop Weather vanes Item #
A	Hummingbird	14.5 x 15.5 x 8	807G	807R
B	Whimsical Pig	12 x 8 x -	800G	800R
C	Labrador Retriever	13 x 9 x -	810G	810R
D	Horse	15 x 10 x -	801G	801R
E	Rooster	10 x 11 x -	802G	802R
F	Sailboat	10 x 10.5 x -	803G	803R
G	Biplane	13 x 5 x 12	812G	812R
H	Eagle	10 x 17 x 14	834G	834R
I	Blue Heron	17 x 9.5 x 16	805G	805R
J	Landing Duck	12 x 10 x 16	804G	804R
K	Rabbit	11.5 x 8 x -	809G	809R
L	Angel	14 x 8 x -	819G	819R
M	American Flag	24 x 16 x -	836G	836R
N	Golfer	5 x 13 x -	816G	816R
O	Lighthouse	10 x 10 x -	813G	813R
P	Butterfly	10 x 13 x 9	831G	831R
Q	Moose	11.5 x 10 x -	818G	818R
R	Pine Trees	11 x 10 x -	828G	828R
S	Dragonfly	13 x 9 x 20	830G	830R

*Measurement is for figure only.

Country Cupolas



A



B



C



D



E



F

Please allow 3-4 weeks lead time for cupolas.

All of our cupolas are "weathervane ready." They do not require a roof mount or any additional hardware. You will only need a hand saw, a screwdriver and silicone caulk. Our cupolas are 100% handcrafted in an old world tradition by Amish craftsman, using only the highest quality materials.



Roof

Middle

Base

- Made from hand selected Northern White Pine.
- Topped with 16 ounce 24 gauge copper.
- All cupolas come in 3 sections for easy installation and delivery.
- Complete installation guide included with every cupola.
- All cupola come bare wood and are ready for painting or staining.

Cupolas have been used to ventilate and enhance the appearance of homes and other structures for centuries. Our quality constructed cupolas by Good Directions Inc. are 100% handcrafted in an old world tradition by Amish craftsmen. They are made from the highest quality materials including hand selected Northern White Pine and come in 3 sections for easy installation and delivery. All cupolas come ready for painting or staining.

Key	Item #	Base Size W x D	Overall Height	Roof Type
A	The Kent			
	2114K	14 x 14	19"	Wood
	2118K	18 x 18	24 1/2	Wood
	2122K	22 x 22	26 1/2	Wood
	2126K	26 x 26	31 1/2	Wood
	2130K	30 x 30	40 1/2	Wood
	2136K	36 x 36	51 3/4	Wood
B	The Manchester			
	2118M	18 x 18	28 1/2	Copper
	2122M	22 x 22	31 3/4	Copper
	2126M	26 x 26	38 3/4	Copper
	2130M	30 x 30	48 1/2	Copper
	2136M	36 x 36	52	Copper
	2142M	42 x 42	61	Copper
	2148M	48 x 48	69	Copper
	2154M	54 x 54	80 1/2	Copper
	2160M	60 x 60	90 1/4	Copper
C	The Gazebo			
	2123Z	23 x 23	22	Cedar
D	The Coventry			
	2118C	18 x 18	28	Copper
	2122C	22 x 22	30 1/2	Copper
	2126C	26 x 26	36	Copper
	2130C	30 x 30	44 3/4	Copper
	2136C	36 x 36	56	Copper
	2142C	42 x 42	64	Copper
	2148C	48 x 48	70 3/4	Copper
	2154C	54 x 54	81 1/4	Copper
	2160C	60 x 60	90 1/4	Copper
E	The Dover			
	2118D	18 x 18	26	Copper
	2122D	22 x 22	28	Copper
	2126D	26 x 26	34 1/2	Copper
	2130D	30 x 30	44 1/2	Copper
	2136D	36 x 36	46 3/4	Copper
	2142D	42 x 42	54	Copper
	2148D	48 x 48	63 1/8	Copper
	2154D	54 x 54	73 1/2	Copper
	2160D	60 x 60	81 3/4	Copper
F	The Sherwood			
	2118S	18 x 18	28 1/2	Copper
	2122S	22 x 22	31 3/4	Copper
	2126S	26 x 26	38 3/4	Copper
	2130S	30 x 30	48 1/2	Copper
	2136S	36 x 36	52	Copper
	2142S	42 x 42	61	Copper
	2148S	48 x 48	69	Copper
	2154S	54 x 54	80 1/4	Copper
	2160S	60 x 60	90 1/4	Copper

Weather vanes and Cupolas



Country Cupolas

Key	Item #	Base Size		Overall Height	Roof Type
		W x D			
G	The Hunington				
	2122H	22 x 22		30 1/2"	Copper
	2126H	26 x 26		35 1/2	Copper
	2130H	30 x 30		44 1/2	Copper
	2136H	36 x 36		54 1/2	Copper
	2142H	42 x 42		62 1/4	Copper
	2148H	48 x 48		69	Copper
	2154H	54 x 54		79 1/4	Copper
2160H	60 x 60		88	Copper	
H	The Windsor				
	2122W	22 x 22		34 3/4	Copper
	2126W	26 x 26		39 1/4	Copper
	2130W	30 x 30		48 3/4	Copper
	2136W	36 x 36		59 3/4	Copper
	2142W	42 x 42		68 1/4	Copper
	2148W	48 x 48		75 1/4	Copper
	2154W	54 X 54		86 1/2	Copper
2160W	60 X 60		96 1/4	Copper	
I	The Plymouth				
	2122P	22 x 22		31 1/2	Copper
	2126P	26 x 26		38 1/4	Copper
	2130P	30 x 30		47 1/2	Copper
	2136P	36 x 36		50 1/2	Copper
	2142P	42 x 42		58 3/4	Copper
	2148P	48 x 48		68	Copper
	2154P	54 x 54		78 3/4	Copper
2160P	60 X 60		88	Copper	
J	The Guilford				
	2122G	22 x 22		34 3/4	Copper
	2126G	26 x 26		42 1/4	Copper
	2130G	30 x 30		51 3/4	Copper
	2136G	36 x 36		55 3/4	Copper
	2142G	42 x 42		64 3/4	Copper
	2148G	48 x 48		74 1/2	Copper
	2154G	54 x 54		86	Copper
	2160G	60 x 60		96 1/4	Copper



G



H



I



J

Please allow 3-4 weeks lead time for cupolas.

Cupola Size Chart


Your Roof Line	Cupola Base Size
10 to 14 feet	18 x 18 inches
15 to 18 feet	22 x 22 inches
19 to 21 feet	26 x 26 inches
22 to 25 feet	30 x 30 inches
26 to 29 feet	36 x 36 inches
30 to 34 feet	42 x 42 inches
35 to 38 feet	48 x 48 inches
39 to 43 feet	54 x 54 inches
44 to 50 feet	60 x 60 inches

Our cupolas are designed for a roof pitch up to 10" rise per foot (10/12 pitch). Most roofs are not steeper than this. If, however, your pitch is steeper than 10" rise per foot, you will have to include an extended base in your order. If an extended base is needed, please call us at 1-800-237-7470 prior to placing your order.

Selecting Your Cupolas

Take a few moments to review the information presented here to help you select the right cupola. Cupolas and weather vanes make great-looking additions to homes and other buildings. Cupolas can be used for ventilation or can just be a decorative accent.

In selecting the right size cupola for your home or building, a good rule of thumb is one and a quarter inches (1-1/4") of cupola base for every foot of unbroken roof line.



For example: if a roof section measures 24' the minimum cupola base should be 30"W x 30"D. If the cupola is too small, it will look like a bird house. In fact we recommend going one or two sizes larger, especially if there is significant height to the structure, or an adjoining building. A quick and easy way to visualize what is best for you is to position a cardboard box of similar size to the recommended cupola on your roof and then view it from the ground. We suggest walking around the house and viewing it from various angles.

Mounting Hardware and Windchimes



Mounting Hardware for Weathervanes

Key	Item #	Description
A	401LG	Large Roof Mount for Barn Rooster (#616), Large Sailboat (#907)
B	585S	Steel Mount for Eaves 5"L x 6.5"H
	585ST	Stainless Steel Mount for Eaves 5"L x 6.5"H
C	585H	Heavy Steel Mount Wall Bracket 12"L x 6.5"H
D	401AL	Roof Mount, Aluminum, Adjustable
E	401RV	Ridge Vent Adapter, includes only 6" brackets between the bolts (must purchase, w/ #401AL)
F	404	4-Sided Roof Mount
G	403R	Full Size Garden Pole


Item #	Description
105	Hercules Sundial 30"L x 27"H x 16"D




A

**Windchime Sculptures
 (antiqued finish only)**

Key	Item #	Description
A	420W	Black Sheppard's Hook
B	801W	Horse
C	803W	Sailboat
D	804W	Landing Duck
E	805W	Blue Heron
F	807W	Hummingbird
G	812W	Biplane
H	816W	Golfer
I	819W	Angel



Windchime Sculptures



B

C

D

E

F

G

H

I

Whitehall™

Address Plaques

For over 60 years, Whitehall Products has been crafting personalized name and address plaques to provide a distinctive finishing touch to millions of homes. Each personalized plaque is crafted from rust-free recycled aluminum. Paints have been specially formulated and weather tested to withstand the hardest elements, and many are designed to provide maximum visibility to meet local "911" emergency standards.

INDEX

Color Chart	45
Architectural Plaques	46-48
Decorative Plaques	48-50
Oval Plaques	51
Vertical Plaques	52
Memorial Plaques	52
Specialty Plaques	53
Welcome Plaques	54
Mailbox and Post Signs	54
Classic Plaques	55
Illuminator Markers	56



 **Phone Orders: 1-800-237-7470**

The Whitehall Personalized Collection offers a large selection of name and address plaques in a variety of styles, colors, sizes and mounting options. Each plaque is crafted from rust-free recycled aluminum and includes a set of 1.5" brass screws. The brass screws will work with aluminum, vinyl or wood sidings. If mounting into brick or stucco, proper anchors and screws will need to be purchased at a local hardware store. Most plaques are available in three sizes, Estate, Standard and Petite, and offer a choice of wall or lawn mount.



Petite plaques are ideal for smaller wall areas or door applications.



Standard plaques are perfectly suited for the average size home. In addition to wall mount, many styles are available with a lawn mounting option and come with one 18" lawn stake.



Estate plaques are proportioned for larger homes and increased visibility across expansive yards. In addition to wall mount, many are available with a lawn mounting option and come with two 18" lawn stakes for convenient set-up.

How To Order

- Select a style.
- Select a size (Estate, Standard, or Petite)
- Select a mounting option (Wall or Lawn)
- Select a one or two line version.
- Select a color combination (shown below).



Color code = BG
Black/Gold letters



Color code = RS
Red/Silver letters



Color code = WG
White/Gold letters



Color code = BW
Black/White letters



Color code = DG
Dark Blue/Gold letters



Color code = CM
Terra Cotta/Mocha letters



Color code = BS
Black/Silver letters



Color code = RG
Red/Gold letters



Color code = WH
White/Black letters



Color code = GG
Dark Green/Gold letters



Color code = DS
Dark Blue/Silver letters



Color code = OG
Bronze/Gold letters



Color code = GS
Dark Green/Silver letters



Color code = TI
Taupe/Ivory letters



Color code = PS
Pewter/Silver letters



Color code = AC
Antique Copper



Color code = AB
Antique Brass



Color code = SI
Sage/Ivory letters

Address Plaques




Architectural Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Arch Marker - Estate 23.25" x 14"						
A	Wall	5-4.5" numbers or 17-2" characters	1001	5-4.5" numbers	17-2" characters	1002
A	Lawn	5-4.5" numbers or 17-2" characters	1101	5-4.5" numbers	17-2" characters	1102
Arch Marker - Standard 15.75" x 9.25"						
A	Wall	5-3" numbers or 17-1.25" characters	1003	5-3" numbers	17-1.25" characters	1004
A	Lawn	5-3" numbers or 17-1.25" characters	1105	5-3" numbers	17-1.25" characters	1106
Arch Extension - Estate 23.25" x 4.25"						
B	Wall	17-2" characters	1072		N/A	
Arch Extension - Standard 15.75" x 3"						
B	Wall	17-1.25" characters	1076		N/A	
Arch Marker - Petite 8" x 4.75"						
C	Wall	6-2" characters	1007		N/A	
Two-Sided Arch Marker - Standard 15.75" x 9.25"						
D	Lawn	5-3" numbers or 17-1.25" characters	1043	5-3" characters	14-1.25" characters	1044
Richmond Horizontal - Estate 25" x 6"						
E	Wall	5-4.5" numbers or 10-3" characters	2990	5-3" numbers	25-1.25" characters	2999
E	Lawn	5-4.5" numbers or 10-3" characters	2995	5-3" numbers	25-1.25" characters	2991
Richmond Horizontal - Standard 19" x 4"						
E	Wall	5-3" numbers or 12-1.75" characters	3008		N/A	
Hampton - Standard 15.75" x 10.75"						
F	Wall	5-3" numbers or 17-1.25" characters	1017	5-3" characters	17-1.25" characters	1018
Roanoke - Estate 23.5" x 8.25"						
G	Wall	5-4.5" numbers or 17-2" characters	1019	5-4.5" numbers	17-2" characters	1020
G	Lawn	5-4.5" numbers or 17-2" characters	1121	5-4.5" numbers	17-2" characters	1122
Roanoke - Standard 16.63" x 7.88"						
G	Wall	5-3" numbers or 17-1.25" characters	1021	5-3" numbers	17-1.25" characters	1022
G	Lawn	5-3" numbers or 17-1.25" characters	1123	5-3" numbers	17-1.25" characters	1124
Roanoke - Petite 9.125" x 3.125"						
G	Wall	5-1.75" characters	1025		N/A	
Admiral - Estate 23.75" x 9.5"						
H	Wall	5-4.5" numbers	1242	5-4.5" numbers	17-2" characters	1140
H	Lawn	5-4.5" numbers	1243	5-4.5" numbers	17-2" characters	1244
Admiral - Standard 15.75" x 7"						
H	Wall	5-3" numbers	1239	5-3" numbers	17-1.25" characters	1138
H	Lawn	5-3" numbers	1240	5-3" numbers	17-1.25" characters	1241
Admiral - Petite 8.12" x 3.5"						
H	Wall	5-1.5" characters	1139		N/A	

See page 45 for available color combinations for name and address plaques.

Architectural Plaques



A



B



C



E



D



F

One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Square - Estate 15" x 15"						
A	Wall	3-7" numbers, 5-4.5" numbers or 12-2" characters	2116	5-4.5" numbers	12-2" characters	2117
A	Lawn	3-7" numbers, 5-4.5" numbers or 12-2" characters	2119	5-4.5" numbers	12-2" characters	2120
Three line wall (#2118) and lawn (#2121) are available. Line 1 holds up to 5-4.5" numbers, Line 2 holds up to 12-2" characters. Line 3 holds up to 12-2" characters.						
Square - Standard 11" x 11"						
A	Wall	3-4.5" numbers, 5-3" characters or 12-1.25" characters	2110	5-3" characters	12-1.25" characters	2111
A	Lawn	3-4.5" numbers, 5-3" characters or 12-1.25" characters	2113	5-3" characters	12-1.25" characters	2114
Three line wall (#2112) and lawn (#2115) are available. Line 1 holds up to 5-3" numbers, Line 2 holds up to 12-1.25" characters. Line 3 holds up to 12-1.25" characters.						
Square - Petite 6" x 6"						
A	Wall	3-3" numbers	2109		N/A	
Round - 15" Diameter						
B	Wall	3-7" numbers or 5-4.5" characters	2100		N/A	
B	Lawn	3-7" numbers or 5-4.5" characters	2099		N/A	
Round - 9" Diameter						
C	Wall	5-3" characters	1033		N/A	
Round - 6" Diameter						
D	Wall	3-3" characters	1034		N/A	
Cape Charles - Estate 20.5" x 14"						
E	Wall	5-7" numbers	1171	5-7" numbers	17-2" characters	1172
E	Lawn	5-7" numbers	1173	5-7" numbers	17-2" characters	1174
Cape Charles - Standard 15" x 9.5"						
E	Wall	5-4.5" numbers	1175	5-4.5" numbers	17-1.25" characters	1176
E	Lawn	5-4.5" numbers	1177	5-4.5" numbers	17-1.25" characters	1178
Cape Charles - Petite 7.5" x 4.75"						
E	Wall	5-2" characters	1179		N/A	
Greek Key - Estate 23.25" x 10"						
F	Wall	5-7" numbers	6104	5-4.5" numbers	17-2" characters	6105
F	Lawn	5-7" numbers	6112	5-4.5" numbers	17-2" characters	6113
Greek Key - Standard 13" x 7.25"						
F	Wall	4-4.5" numbers	6100	5-3" numbers	12-1.25" characters	6133
F	Lawn	4-4.5" numbers	6124	5-3" numbers	12-1.25" characters	6138

See page 45 for available color combinations for name and address plaques.



Address Plaques



Architectural Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Laurel Ribbon - Estate 23.25" x 10"						
A	Wall	5-7" numbers	6110	5-4.5" numbers	17-2" characters	6111
A	Lawn	5-7" numbers	6118	5-4.5" numbers	17-2" characters	6119
Laurel Ribbon - Standard 13" x 7.25"						
A	Wall	4-4.5" numbers	6103	5-3" numbers	12-1.25" characters	6130
A	Lawn	4-4.5" numbers	6125	5-3" numbers	12-1.25" characters	6135
Double Line - Estate 23.25" x 10"						
B	Wall	5-7" numbers	6106	5-4.5" numbers	17-2" characters	6107
B	Lawn	5-7" numbers	6114	5-4.5" numbers	17-2" characters	6115
Double Line - Standard 13" x 7.25"						
B	Wall	4-4.5" numbers	6101	5-3" numbers	12-1.25" characters	6131
B	Lawn	4-4.5" numbers	6122	5-3" numbers	12-1.25" characters	6136
Egg Dart - Estate 23.25" x 10"						
C	Wall	5-7" numbers	6108	5-4.5" numbers	17-2" characters	6109
C	Lawn	5-7" numbers	6116	5-4.5" numbers	17-2" characters	6117
Egg Dart - Standard 13" x 7.25"						
C	Wall	4-4.5" numbers	6102	5-3" numbers	12-1.25" characters	6132
C	Lawn	4-4.5" numbers	6123	5-3" numbers	12-1.25" characters	6137

Decorative Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Ribbon - Standard 17.5" x 6"						
D	Wall	5-2" numbers or 15-1.5" characters	2034		N/A	
Monogram - Estate 23.25" x 12.25"						
F	Wall	5-4.5" numbers or 17-2" characters	5003	5-4.5" numbers	17-2" characters	5004
F	Lawn	5-4.5" numbers or 17-2" characters	5103	5-4.5" numbers	17-2" characters	5104
Monogram - Standard 10.75" x 11.75"						
E	Wall	5-3" numbers or 12-1.25" characters	5005	5-3" numbers	12-1.25" characters	5006
E	Lawn	5-3" numbers or 12-1.25" characters	5105	5-3" numbers	12-1.25" characters	5106
Monogram - Petite 8.25" x 5"						
E	Wall	5-1.5" characters	5007		N/A	

See page 45 for available color combinations for name and address plaques.

Decorative Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Sunburst - Estate 23.5" x 13.5"						
A	Wall	5-4.5" numbers or 17-2" characters	2001	5-4.5" numbers	17-2" characters	2002
A	Lawn	5-4.5" numbers or 17-2" characters	2101	5-4.5" numbers	17-2" characters	2102
Sunburst - Standard 16.25" x 9.5"						
A	Wall	5-3" numbers or 17-1.25" characters	2003	5-3" numbers	17-1.25" characters	2004
A	Lawn	5-3" numbers or 17-1.25" characters	2103	5-3" numbers	17-1.25" characters	2104
Eagle Oval - Estate 24" x 14"						
B	Wall	5-4.5" numbers or 17-2" characters	2039	5-4.5" numbers	17-1.75" characters	2040
B	Lawn	5-4.5" numbers or 17-2" characters	2041	5-4.5" numbers	17-1.75" characters	2042
Eagle Oval - Standard 16" x 9.25"						
B	Wall	5-3" numbers or 17-1.75" characters	2035		N/A	
B	Lawn	5-3" numbers or 17-1.75" characters	2037		N/A	
Hillsboro - Estate 25" x 12"						
C	Wall	5-4.5" numbers or 17-2" characters	1187	5-4.5" numbers	17-2" characters	1188
C	Lawn	5-4.5" numbers or 17-2" characters	1189	5-4.5" numbers	17-2" characters	1190
Hillsboro - Standard 16" x 8"						
C	Wall	5-3" numbers or 17-1.25" characters	1183	5-3" numbers	17-1.25" characters	1184
C	Lawn	5-3" numbers or 17-1.25" characters	1185	5-3" numbers	17-1.25" characters	1186
Hillsboro - Petite 8.25" x 4"						
C	Wall	5-3" numbers or 17-1.75" characters	1182		N/A	
Coventry - Standard 16.25" x 8.75"						
D	Wall	5-3" numbers or 12-1.75" characters	1027		N/A	
Dresden - Two Numbers 6.25" x 7.25"						
E	Wall	2-5" numbers	2012		N/A	
Dresden - Three Numbers 9.125" x 7.25"						
E	Wall	3-5" numbers	2013		N/A	
Dresden - Four Numbers 11.75" x 7.25"						
E	Wall	4-5" numbers	2014		N/A	
Dresden - Five Numbers 14.75" x 7.25"						
E	Wall	5-5" numbers	2015		N/A	
Rochelle - Estate 17.5" x 10.25"						
F	Wall	5-4.5" numbers or 17-2" characters	2017	5-3" numbers	17-1.25" characters	2180
Rochelle - Standard 15.5" x 9"						
F	Wall	6-3" numbers or 12-1.75" characters	2019		N/A	
Rochelle - Petite 8" x 4.5"						
F	Wall	6-1.5" characters	2020		N/A	

See page 45 for available color combinations for name and address plaques.

Address Plaques



Decorative Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Villa Nova - Estate 23.5" x 13.5"						
A	Wall	5-4.5" numbers or 17-2" characters	1009	5-4.5" numbers	17-2" characters	1010
A	Lawn	5-4.5" numbers or 17-2" characters	1111	5-4.5" numbers	17-2" characters	1112
Villa Nova - Standard 16.5" x 9.5"						
A	Wall	5-3" numbers or 17-1.25" characters	1013	5-3" numbers	17-1.25" characters	1014
A	Lawn	5-3" numbers or 17-1.25" characters	1115	5-3" numbers	17-1.25" characters	1116
Woodland Wren - Standard 15.5" x 10"						
B	Wall	5-3" numbers or 12-1.75" characters	1129	5-3" numbers	17-1.25" characters	1130
Woodland Hummingbird - Standard 15.5" x 10"						
C	Wall	5-3" numbers or 12-1.75" characters	1127	5-3" numbers	17-1.25" characters	1128
Woodland Cardinal - Standard 15.5" x 10"						
D	Wall	5-3" numbers or 12-1.75" characters	1125	5-3" numbers	17-1.25" characters	1126
Shell Horizontal - Estate 25" x 6"						
E	Wall	5-4.5" numbers or 10-3" characters	3000	10-3" characters	22-1.25" characters	2980
E	Lawn	5-4.5" numbers or 10-3" characters	2981	10-3" characters	22-1.25" characters	2982
Shell Horizontal - Standard 19" x 4"						
E	Wall	5-3" characters	5135		N/A	
Ivy - Estate 23.5" x 12.75"						
F	Wall	5-4.5" numbers or 17-2" characters	2005	5-4.5" numbers	17-2" characters	2006
F	Lawn	5-4.5" numbers or 17-2" characters	2105	5-4.5" numbers	17-2" characters	2106
Ivy - Standard 16.5" x 9.75"						
F	Wall	5-3" numbers or 17-1.25" characters	2007	5-3" numbers	17-1.25" characters	2008
F	Lawn	5-3" numbers or 17-1.25" characters	2107	5-3" numbers	17-1.25" characters	2108

See page 45 for available color combinations for name and address plaques.

Oval Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Hawthorne Oval - Estate 19" x 14"						
A	Wall	4-7" numbers or 5-4.5" characters	2926	5-4.5" numbers	17-1.75" characters	2927
A	Lawn	4-7" numbers or 5-4.5" characters	2928	5-4.5" numbers	17-1.75" characters	2929
Three line wall (#2920) and lawn (#2921) are available. Line 1 holds up to 17-1.75" characters, Line 2 holds up to 5-4.5" numbers and line 3 holds up to 17-1.75" characters.						
Note: One Line Version: shown in middle line only, Two Line Version: shown in middle and bottom lines only, Three Line Version: shown in top, middle and bottom lines.						
Hawthorne Oval - Standard 14.25" x 10.25"						
A	Wall	5-3" numbers	2922	5-3" numbers	14-1.5" characters	2923
A	Lawn	5-3" numbers	2924	5-3" numbers	14-1.5" characters	2925
Three line wall (#2918) and lawn (#2919) are available. Line 1 holds up to 14-1.5" characters, Line 2 holds up to 5-3" numbers and line 3 holds up to 14-1.5" characters.						
Note: One Line Version: shown in middle line only, Two Line Version: shown in middle and bottom lines only, Three Line Version: shown in top, middle and bottom lines.						
Date Plaque ("Founded") - Standard 12.5" x 7.5"						
B	Wall	4-3" numbers	1032		N/A	
Date Plaque ("Built") - Standard 12.5" x 7.5"						
B	Wall	4-3" numbers	1029		N/A	
Date Plaque ("Circa") - Standard 12.5" x 7.5"						
B	Wall	4-3" numbers	1030		N/A	
Date Plaque ("Established") - Standard 12.5" x 7.5"						
B	Wall	4-3" numbers	1031		N/A	
Madison Oval - Estate 24.5" x 10.375"						
C	Wall	5-4.5" numbers or 17-2" characters	4009	5-4.5" numbers	17-2" characters	4010
C	Lawn	5-4.5" numbers or 17-2" characters	4011	5-4.5" numbers	17-2" characters	4012
Madison Oval - Standard 18.5" x 7.75"						
C	Wall	5-3" numbers or 17-1.25" characters	4003	5-3" numbers	17-1.25" characters	4007
C	Lawn	5-3" numbers or 17-1.25" characters	4013	5-3" numbers	17-1.25" characters	4014
Madison Oval - Petite 8.25" x 3.5"						
C	Wall	5-2" characters	4008		N/A	
Oval Plaque - Standard 12" x 5.5"						
D	Wall	5-3" numbers or 7-2" characters	4004		N/A	
Pansy Oval - Standard 13.5" x 7.75"						
E	Wall	5-3" numbers or 7-2" characters	4006		N/A	
Ivy Oval - Standard 13.5" x 7.75"						
F	Wall	5-3" numbers or 7-2" characters	4002		N/A	
Rose Oval - Standard 13.5" x 7.75"						
G	Wall	5-3" numbers or 7-2" characters	4005		N/A	
Morning Glory Oval - Standard 13.5" x 7.75"						
H	Wall	5-3" numbers or 7-2" characters	4001		N/A	

See page 45 for available color combinations for name and address plaques.



Address Plaques



Vertical Plaques

One Line Version			
Key	Mount	Line 1 Max Characters	Item #
Exeter Vertical - Standard 4" x 19"			
A	Wall	5-3" numbers or 7-1.75" characters	3003
Norfolk Vertical - Estate 6" x 25"			
B	Wall	4-4.5" numbers or 8-2" characters	2984
Norfolk Vertical - Standard 4" x 19"			
B	Wall	5-3" numbers or 7-1.75" characters	3009
Shell Vertical - Estate 6" x 25"			
C	Wall	4-4.5" numbers or 8-2" characters	2983
Shell Vertical - Standard 4" x 19"			
C	Wall	5-3" numbers or 7-1.75" characters	5134
Windsor Vertical - Standard 4" x 19"			
D	Wall	5-3" numbers or 7-1.75" characters	3005
Richmond Vertical - Estate 6" x 25"			
E	Wall	4-4.5" numbers or 8-2" characters	2998
Richmond Vertical - Standard 4" x 19"			
E	Wall	5-3" numbers or 7-1.75" characters	3007
Lyon Vertical - Estate 6" x 25"			
F	Wall	4-4.5" numbers or 8-2" characters	2996
Lyon Vertical - Standard 4" x 19"			
F	Wall	5-3" numbers or 7-1.75" characters	3001



Memorial Markers

One Line Version				
Key	Mount	Line 1 Max Characters	Line 2 Max Characters	Item #
Alexandria ("In Memory Of") - Standard 17" x 9.25"				
G	Wall	17-1.5" characters	14-1.5" characters	2208
G	Lawn	17-1.5" characters	14-1.5" characters	2210
Alexandria ("Living Eternally") - Standard 17" x 9.25"				
G	Wall	17-1.5" characters	14-1.5" characters	2209
G	Lawn	17-1.5" characters	14-1.5" characters	2211
Arlington ("In Memory Of") - Standard 17" x 9"				
H	Wall	17-1.5" characters	14-1.5" characters	2212
H	Lawn	17-1.5" characters	14-1.5" characters	2214
Arlington ("Living Eternally") - Standard 17" x 9"				
H	Wall	17-1.5" characters	14-1.5" characters	2213
H	Lawn	17-1.5" characters	14-1.5" characters	2215
Wilmington ("In Memory Of") - Standard 17" x 8.25"				
I	Wall	17-1.5" characters	17-1.5" characters	2216
I	Lawn	17-1.5" characters	17-1.5" characters	2218
Wilmington ("Living Eternally") - Standard 17" x 8.25"				
I	Wall	17-1.5" characters	17-1.5" characters	2217
I	Lawn	17-1.5" characters	17-1.5" characters	2219
Dog, Pet Memorial - Standard 11.75" x 12.5"				
J	Lawn	8-1.25" characters	8-1.25" characters	1099
Cat, Pet Memorial - Standard 11.75" x 12.5"				
J	Lawn	8-1.25" characters	8-1.25" characters	1100



See page 45 for available color combinations for name and address plaques.

Specialty Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Wedding Plaque - Standard 10.75" x 12.5"						
A	Wall	N/A		12-1.25" characters	12-1.25" characters	5009
A	Lawn	N/A		12-1.25" characters	12-1.25" characters	5109
Note: Line 1 is for name, Line 2 is for the date						
Claddagh - Standard 16.75" x 9.375"						
B	Wall	5-3" numbers or 17-1.75" characters	5158	5-3" characters	17-1.25" characters	5157
Anchor Arch - Standard 15.75" x 9.25"						
C	Wall	5-3" numbers or 17-1.75" characters	5123	5-3" numbers	17-1.25" characters	5124
C	Lawn	5-3" numbers or 17-1.75" characters	1097	5-3" numbers	17-1.25" characters	1098
Flag Arch Marker - Standard 15.75" x 9.25"						
D	Wall	5-4.5" numbers or 17-1.25" characters	1092	5-3" numbers	17-1.25" characters	1093
D	Lawn	5-4.5" numbers or 17-1.25" characters	1094	5-3" numbers	17-1.25" characters	1095
Sailor's Knot - Standard 17" x 7.25"						
E	Wall	5-3" numbers or 17-1.75" characters	5131	5-3" characters	17-1.25" characters	5132
Golf Emblem Plaque - Standard 10.75" x 11.5"						
F	Wall	5-3" numbers or 10-1.25" characters	6013	5-3" numbers	10-1.25" characters	6014
Retriever Arch - Standard 15.75" x 9.25"						
G	Wall	5-3" numbers or 17-1.75" characters	5125	5-3" numbers	17-1.25" characters	5126
G	Lawn	5-3" numbers or 17-1.75" characters	5136	5-3" numbers	17-1.25" characters	5137
Two-Sided Rectangle - Standard 15.75" x 5"						
H	Lawn	5-3" numbers or 17-1.75" numbers	1191	5-2" numbers	17-1.25" characters	1180
Conch - Standard 10.75" x 10"						
I	Wall	5-3" numbers or 12-1.25" characters	5129	5-3" numbers	12-1.25" characters	5130
Lighthouse - Standard 4.5" x 11.75"						
J	Wall	5-1.25" numbers or 4-1.75" numbers	5133		N/A	
Golf Greens Plaque - Standard 17" x 7"						
K	Wall	5-3" numbers or 15-1.25" characters	6011	5-3" numbers	15-1.25" characters	6012
Flying Duck Arch - Standard 15.75" x 9.25"						
L	Wall	5-3" numbers or 17-1.75" characters	5127	5-3" numbers	17-1.25" characters	5128
L	Lawn	5-3" numbers or 17-1.75" characters	5138	5-3" numbers	17-1.25" characters	5139

See page 45 for available color combinations for name and address plaques.

Address Plaques



Welcome Plaques



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Celtic Welcome - Standard 15.25" x 9"						
A	Wall	5-3" numbers or 12-1.75" characters	6002	12-1.25" characters	12-1.25" characters	6018
Celtic "Failte" Welcome - Standard 15.25" x 9"						
B	Wall	5-3" numbers or 12-1.75" characters	6001	12-1.25" characters	12-1.25" characters	6004
Welcome - Standard 11" Diameter						
C	Wall	14-1.25" characters	6006		N/A	
Bell Welcome - Standard 13.75" x 15.25" x 7.75"						
D	Wall	5-2" numbers or 12-1.25" characters	6003		N/A	

Mailbox and Post Signs

Mailbox and Post Signs are available in your choice of 18 color combinations. (pg.45)
The Black with White Lettering (BW) is reflective.

One Line Version			
Key	Mount	Line 1 Max Characters	Item #
Scroll Mailbox Marker - Standard 14.34" x 3.5"			
E	Box	16-1.25" characters	5122
Arch Mailbox Marker - Standard 14.34" x 3.5"			
F	Box	16-1.25" characters	5152



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
One Line Ladder Sign - Standard 3.5" x 14.5"						
G	Post	16-1.25" characters	8013		N/A	
Two Line Ladder Sign - Standard 5.25" x 14.5"						
H	Post	N/A		16-1.25" characters	16-1.25" characters	8023

Ladder Rest Bars are sold separately and are available in black only.

Ladder Bars			
Key	Mount	Line 1 Max Characters	Item #
I	Post	Bar w/ Self-Clamping Adapter	9005
J	Post	Bar w/ Flat Mount Adapter	9006



See page 45 for available color combinations for name and address plaques.

Classic Plaques

Classic Plaques boast rich designs and 3-dimensional construction with high relief numbers. Available in 5 color combinations.



Color Code = BG
Black/Gold letters



Color Code = OG
Bronze/Gold letters



Color Code = PS
Pewter/Silver letters



Color Code = AC
Antique Copper



Color Code = ST
Stucco/Brown letters



One Line Version				Two Line Version		
Key	Mount	Line 1 Max Characters	Item #	Line 1 Max. Characters	Line 2 Max. Characters	Item #
Williamsburg - Estate 20.5" x 12" x 1.25"						
A	Wall	5-5.5" numbers	1294	5-4" numbers	14-1.75" characters	1295
A	Lawn	5-5.5" numbers	1296	5-4" numbers	14-1.75" characters	1297
Williamsburg - Standard 14" x 10.25" x 1.25"						
A	Wall	4-4" numbers or 5-3" numbers	1290	5-3" numbers	14-1.25" characters	1291
A	Lawn	4-4" numbers or 5-3" numbers	1292	5-3" numbers	14-1.25" characters	1293
Manchester Vertical - Estate 23.75" x 7.25" x 1.25"						
B	Wall	5-4" numbers	1287		N/A	
Manchester Vertical - Standard 21" x 5.75" x 1.25"						
B	Wall	5-3" numbers	1286		N/A	
Springfield Rectangle - Estate 22.5" x 10" x 1.25"						
C	Wall	5-5.5" numbers	1316	5-4" numbers	17-1.75" characters	1317
C	Lawn	5-5.5" numbers	1318	5-4" numbers	17-1.75" characters	1319
Springfield Rectangle - Standard 17" x 8" x 1.25"						
C	Wall	5-4" numbers	1312	5-3" numbers	17-1.25" characters	1313
C	Lawn	5-4" numbers	1314	5-3" numbers	17-1.25" characters	1315
Concord Oval - Estate 20.5" x 13.25" x 1.25"						
D	Wall	5-5.5" numbers	1300	5-4" numbers	14-1.75" characters	1301
D	Lawn	5-5.5" numbers	1302	5-4" numbers	14-1.75" characters	1303
Concord Oval - Standard 15" x 9.5" x 1.25"						
D	Wall	4-4" numbers or 5-3" numbers	1298		N/A	
D	Lawn	4-4" numbers or 5-3" numbers	1299		N/A	
Providence Arch - Estate 22.5" x 12" x 1.25"						
E	Wall	5-5.5" numbers	1308	5-4" numbers	17-1.75" characters	1309
E	Lawn	5-5.5" numbers	1310	5-4" numbers	17-1.75" characters	1311
Providence Arch - Standard 17" x 9.5" x 1.25"						
E	Wall	5-4" numbers	1304	5-3" numbers	17-1.25" characters	1305
E	Lawn	5-4" numbers	1306	5-3" numbers	17-1.25" characters	1307



Address Plaques



Illuminator Address Plaques

Illuminator Markers provide outstanding visibility during the day and evening hours. Available in 5 color combinations.

- An internal light sensor automatically turns the plaque on at dusk and off at dawn.
- 8 D-cell batteries (not included) provide 5 months of continuous nighttime illumination.
- White vinyl numbers provide excellent visibility day and night.
- Includes optional lawn stake for street side presentation.



Color Code = VP
Verdigris



Color Code = PS
Pewter/Silver



Color Code = FB
French Bronze



Color Code = BK
Black



Color Code = BG
Black/Gold
(Available on Oak Leaf Arch and
Flour de Lis Oval only)



A



B

C



One Line Version

Key	Mount	Line 1 Max Characters	Item #
Flour de Lis Oval Illuminator - Standard 19.88" x 9.75"			
A	Both	5-3.25" numbers	5692
Oak Leaf Arch Illuminator - Standard 13.5" x 8.5"			
B	Both	5-3.25" numbers	5693
Classic Rectangle Illuminator - Standard 13.38" x 7"			
C	Both	5-3.25" numbers	5695

Photo Gallery



Greek Key (pg 47)



Richmond Horizontal (pg 46)



Flag Arch (pg 53)



Sunburst (pg 49)




Lyon (pg 52)



Williamsburg (pg 55)



Square (pg 47)



Admiral (pg 46)

Glass and Acrylic Block Products

Glass Block Products:

No other line of glass block is entirely American-made, comes in as many styles and sizes and is as reliable. And no other glass block has Pittsburgh Corning's industry-famous quality control. Each Pittsburgh Corning Glass Block is completely computer modeled using the finest raw materials, including pure silica sand. After it's fired at 2,300 degrees F., each block undergoes a slow strengthening process to ensure consistent color and the ultimate in reliability.

Glass Blocks are available individually in several styles and sizes. Or choose from a large selection of prefabricated glass block windows or glass block panels. Glass Block windows feature a vinyl frame and nailing fin. Glass Block panels are perfect for basement windows and are available with or without ventilation. Or choose a Glass Block shower kit. Available in three styles and includes everything needed for easy installation.

Acrylic Block Products:

Hy-lite acrylic block panels and windows are a strong alternative to traditional glass block construction. Made of lightweight acrylic, the blocks are pre-assembled into panels or complete window units for precision installation. Because the blocks are over 70% lighter than conventional glass block, it allows them to be used virtually anywhere, with little chance of the blocks sagging or caulk lines cracking over time. When it comes to energy efficiency, Hy-Lite acrylic blocks are more energy efficient than traditional glass block and provides the same thermal performance as high quality, double insulated glass windows.

NOTE: Acrylic Blocks are not sold separately.

INDEX

Glass Block Products

Individual Glass Blocks	60
Glass Block Windows	61
Glass Block Panels	61
Glass Block Shower Kits	62

Acrylic Block Products

Vinyl Framed Fixed Windows	63
Vinyl Framed Casement Windows	64
Vinyl Framed Awning Windows	64
Fixed Aluminum Windows and Walls	65



 **Phone Orders: 1-800-237-7470**

Photo Gallery



Glass Block....

A versatile product that allows for endless creativity.



Glass and Acrylic Block



Thinline Individual Glass Blocks (3" Thick)

Thinline (3" Thick)



Decora

Size	Item #
8 x 8 x 3	10007
6 x 8 x 3	10008
4 x 8 x 3	10010
6 x 6 x 3	10009



Delphi

8 x 8 x 3	10011
6 x 8 x 3	10012
4 x 8 x 3	10014
6 x 6 x 3	10013



IceScapes

8 x 8 x 3	10022
6 x 8 x 3	10023
6 x 6 x 3	10024

Thinline Specialty Blocks (3" Thick)



EndBlock

Size	Fits Sizes	Item #
4 x 8 x 3 Decora	8 x 8 x 3 6 x 8 x 3 4 x 8 x 3	40060

Premier Individual Glass Blocks (4" Thick)

Premier (4" Thick)



Decora

Size	Item #
8 x 8 x 4	20029
6 x 8 x 4	20030
4 x 8 x 4	20032
6 x 6 x 4	20031
12 x 12 x 4	20033



Vue

8 x 8 x 4	20039
6 x 8 x 4	20040
4 x 8 x 4	20042
6 x 6 x 4	20041
12 x 12 x 4	20043



IceScapes

8 x 8 x 4	20034
6 x 8 x 4	20035
4 x 8 x 4	20036



Argus

8 x 8 x 4	20025
6 x 6 x 4	20026
12 x 12 x 4	20027

Premier Specialty Blocks (4" Thick)



EndBlock

Endblocks used for finishing horizontal or vertical edges of panels.



Encurve

Encurves arched, soft edges round out your design or panels.



Tridon

Creates 45-360 degree angles for columns, alcoves and panels.



Hedron

Forms a 90 degree corner

Size / Style	Fits Sizes	Item #
8 x 8 x 4 Decora	8 x 8 x 4	40061
6 x 8 x 4 Decora	6 x 8 x 4	40063
8 x 8 x 4 IceScapes	4 x 8 x 4	40062
6 x 8 x 4 IceScapes		40064

8 x 8 x 4 Decora	8 x 8 x 4	40059
8 x 8 x 4 IceScapes	6 x 8 x 4 4 x 8 x 4	40000

8" high Decora	8 x 8 x 4	40068
8" high IceScapes	6 x 8 x 4 4 x 8 x 4	40069

8" high Decora	8 x 8 x 4	40066
8" high IceScapes	6 x 8 x 4 4 x 8 x 4	40067

* Installation kits and components are available online.

Glass Block Windows

Patented Clear Choice Windows combine the beauty and durability of real glass with a full-featured vinyl frame and nailing fin. Maximum light and privacy with no window treatments necessary. Includes exclusive snap-in nailing fin. Meets tempered glass requirements. Made with real glass block and welded vinyl corners. Vinyl frame is available in white or tan.

Your choice...




Decora



Delphia



IceScapes



Tan



White

AVAILABLE SIZES:

8" X 8" Block (3" Thick)

Widths: 16", 24", 32", 40", 48", 56", 64", 72", 80"

Heights: 8", 16", 24", 32", 40", 48", 56", 64", 72", 80"

6" X 6" Block (3" Thick)

Widths: 12", 18", 24", 30", 36", 42", 48", 54", 60"

Heights: 6", 12", 18", 24", 30", 36", 42", 48", 54", 60"

Glass Block Panels

Prefabricated glass block panels are labor-saving products that are perfect for basement windows, new windows and small partition applications. **Panels are available with or without ventilation.**

Your choice...



Decora



Delphia



IceScapes



AVAILABLE SIZES:

8" X 8" Block (3" Thick)

Widths: 24", 32", 40", 48"

Heights: 8", 16", 24", 32", 40", 48", 56"

6" X 6" Block (3" Thick)

Widths: 18", 24", 30", 36", 42", 48"

Heights: 6", 12", 18", 24", 30", 36", 42", 48", 54", 60"

Glass and Acrylic Block



Glass Block Shower Systems

(Using Premiere Blocks - 4" Thick)




Decora



IceScapes

Standard Base Colors:

Allow 1 - 2 weeks



Designer Base Colors:

Allow 2 - 5 weeks



Note: Colors shown are digital reproductions. Actual shower base colors may vary from colors shown here.



Size: 72"x51"

The Walk-In

Kit Includes: (1) Walk-in acrylic shower base 72" x 51", (110) 6" x 8" x 4" glass block, (10) 4" x 8" x 4" glass block, (40) 6" x 8" x 4" Arque glass blocks, (20) 6" x 8" x 4" Endblock Units, (15) panel anchors 24" long, (1) panel anchor hardware kit, (1) 2oz bottle of WeldBond Primer, (1) 8oz bottle of TGR Grout Sealer, (10) panel reinforcing 48" long, (10) expansion strips 24" long, (2) 10oz tubes glass block sealant, (7) 25 count bag of block spacers, (3) 25 count bag of Arque block spacers, (1) installation instructions, (1) chrome shower drain.

Your Choice: Block style, Base Color and Right or Left Entry



Size: 48"x48"

The Classic

Kit Includes: (1) Classic acrylic shower base 48" x 48", (60) 8" x 8" x 4" glass block, (10) 6" x 8" x 4" glass block, (10) 8" Hedron corner blocks, (7) panel anchors 24" long, (1) panel anchor hardware kit, (1) 2oz bottle of WeldBond Primer, (1) 8oz bottle of TGR Grout Sealer, (6) panel reinforcing 48" long, (5) expansion strips 24" long, (2) 10oz tubes glass block sealant, (5) 25 count bag of block spacers, (1) pivot shower door, (1) shower door installation kit, (1) installation instructions, (1) chrome shower drain.

Your Choice: Block style, Door Frame Color (Silver or Gold), Glass Style (Hammered or Smooth), and Base Color



Size: 52"x52"

The Neo Angle

Kit Includes: (1) NeoAngle acrylic shower base 52" x 52", (40) 8" x 8" x 4" glass block, (20) 6" x 8" x 4" Endblock Units, (20) 8" Tridron 45 degree block, (10) panel anchors 24" long, (1) panel anchor hardware kit, (1) 2oz bottle of WeldBond Primer, (1) 8oz bottle of TGR Grout Sealer, (8) panel reinforcing 48" long, (10) expansion strips 24" long, (2) 10oz tubes glass block sealant, (4) 25 count bag of block spacers, (1) pivot shower door, (1) shower door installation kit, (1) installation instructions, (1) chrome shower drain.

Your Choice: Block style, Door Frame Color (Silver or Gold), Glass Style (Hammered or Smooth), and Base Color

Acrylic Block Windows - Vinyl Framed

Hy-Lite block windows install easily with a nailing fin like other new construction windows. Built with two-inch thick block and available with a 7/8" nail fin offset.



Your choice...



Clear Wave



Clear Cross Rib



Frosted Wave

Vinyl Frame Color



White



Tan

Note: Color swatches are digital reproductions. Actual color may vary from colors shown above.

High Profile Vinyl Frame Windows

Hy-Lite's high profile window frames mimic the appearance of the operable frame. Features two-inch thick block and a 7/8" nail fin offset.

AVAILABLE SIZES:

8" X 8" Block (2" Thick)

Widths: 15", 23", 31", 39", 47", 55", 63", 71", 79", 87"

Heights: 15", 23", 31", 39", 47", 55", 63", 71", 79", 87"

6" X 6" Block (2" Thick)

Widths: 13", 19", 25", 31", 37", 43", 49", 55", 61", 67", 73", 79", 85", 91"

Heights: 13", 19", 25", 31", 37", 43", 49", 55", 61", 67", 73", 79", 85", 91"

Low Profile Vinyl Frame Windows

Hy-Lite's low profile vinyl frames have less vinyl for maximum lite area. Features two-inch thick block and a 7/8" nail fin offset.

AVAILABLE SIZES:

8" X 8" Block (2" Thick)

Widths: 12", 20", 28", 36", 44", 52", 60", 68", 76", 84"

Heights: 12", 20", 28", 36", 44", 52", 60", 68", 76", 84"

6" X 6" Block (2" Thick)

Widths: 10", 16", 22", 28", 34", 40", 46", 52", 58", 64", 70", 76", 82", 88"

Heights: 10", 16", 22", 28", 34", 40", 46", 52", 58", 64", 70", 76", 82", 88"



Glass and Acrylic Block



Acrylic Block Casement Windows - Vinyl Framed



Casement Acrylic Block Vinyl Framed windows are available hinged on the left or right. Please specify left or right hinge, as viewed from outside. Image at left displays a right hinged window.

Your choice...



Clear Wave



Clear Cross Rib



Frosted Wave

Vinyl Frame Color



White



Tan

Note: Color swatches are digital reproductions. Actual color may vary from colors shown above.

AVAILABLE SIZES:

8" X 8" Block (2" Thick)

Widths: 23", 31", 39"

Heights: 23", 31", 39", 47", 55", 63", 71"

6" X 6" Block (2" Thick)

Widths: 19", 25", 31", 37"

Heights: 25", 31", 37", 43", 49", 55", 61", 67", 73", 79", 85"

Acrylic Block Awning Windows - Vinyl Framed



Awning Acrylic Block Vinyl Framed windows hinge from the top to allow ventilation.

Your choice...



Clear Wave



Clear Cross Rib



Frosted Wave

Vinyl Frame Color



White



Tan

Note: Color swatches are digital reproductions. Actual color may vary from colors shown above.

AVAILABLE SIZES:

8" X 8" Block (2" Thick)

Widths: 23", 31", 39", 47", 55", 63"

Heights: 15", 23", 31", 39"

6" X 6" Block (2" Thick)

Widths: 25", 31", 37", 43", 49", 55", 61"

Heights: 19", 25", 31", 37"



Phone Orders: 1-800-237-7470

Acrylic Block Windows and Walls - Aluminum Framed

APM Direct offers a large selection of Hy-Lite acrylic block, aluminum framed, fixed windows and walls. This includes the stylish Round Top and Arch Top Acrylic windows, as well as Sidelites, Transoms and Walls. Wall panel accessories, including caps and corner pieces, are available.

Your choice...

- 1.) Desired frame type (7/8" nail fin, 1-3/8" nail fin, 1-3/4" frame, or wall option), depending on the application.
- 2.) Aluminum Frame Color (White, Tan, Bronze or Clear)



White



Tan



Bronze



Clear

Note: Color swatches are digital reproductions. Actual color may vary from colors shown here.

3.) Block Pattern



Clear Wave



Clear Cross Rib



Frosted Wave



RoundTop



ArchTop



Wall Panels



Sidelites & Transoms

SKYLIGHTS 2-15

Venting Skylights	5-9	Flashing Systems	15
Non-Venting Skylights	10-13	Sunscreening Options	15
Sun Tunnel Tubular Skylights	13	Glass Glazing Options	15
Manual and Electric Controls	14		

FIREPLACE MANTELS 16-27

Measuring Mantels	17	Mantel Shelves	24-25
Value Series	18	Installing Mantels	26
Select Series	19-21	Installing Mantel Shelves	27
Signature Series	22-23		

RAILING & FENCING SYSTEMS 28-35

Square Picket Vinyl Railing System	29	Vinyl Fencing Systems	32
Turned Spindle Vinyl Railing System	29	Aluminum Columns	33
Vinyl Railing Post Options	30	Aluminum Railing	34
Vinyl Railing Brackets and Components	31	Aluminum Fencing	35
Vinyl Porch Posts	31		
Vinyl Lamp Posts	31		

WEATHERVANES AND CUPOLAS 36-43

Full Size Weathervanes	37-39	Mounting Hardware	43
Garden Weathervanes	40	Windchimes	43
Country Cupolas	41-42		

ADDRESS PLAQUES 44-57

Color Chart	45	Mailbox and Post Signs	54
Name and Address Plaques	46-55	Illuminator Markers	56

GLASS AND ACRYLIC BLOCK PRODUCTS 58-65

Thinline Individual Glass Blocks (3" Thick)	60	Acrylic Block Windows - Vinyl Framed	63
Premier Individual Glass Blocks (4" Thick)	60	Acrylic Block Casement Windows - Vinyl Framed	64
Glass Block Windows	61	Acrylic Block Awning Windows - Vinyl Framed	64
Glass Block Panels	61	Acrylic Block Windows and Walls - Aluminum Framed	65
Glass Block Shower Systems	62		

P.O. Box 310
46 Gettysburg Street
Arendtsville, PA 17303
1-800-237-7470
www.apmdirect.com

APM *Direct*SM
- Building Products -