
Window & Door Trim



AN UNFORGETTABLE FIRST IMPRESSION.

Transform the look of any home with Fypon[®] Window and Door Trim. Designed to work together, these pieces are quick and easy to install.

Product Shown: Flat Trim Dentil Blocks Distinction Crosshead Shaker-Style Shutters PremiumSelect Square Column Wraps with Raised Panels

Crossheads	18
Pediments	36
Pilasters	45
Window Trim	52
Window Panels	54
Dormer Trim System	54
Keystones	55
Smooth Shutters	56
NEW Smooth Shutter Board	
Fabrication Panels	62
Wood-Grained Shutters	64
Wood-Grained Shutter Board Fabrication Panels	80
	20
Shutter Accessories	81



Window & Door Trim

HOW TO USE THIS SECTION

Where applicable, part numbers are shown for products with attached accessories, or other available unattached accessories are referenced or shown with the product.

HOW TO ORDER

Door Trim & Entrance Systems

When ordering door trim, first measure the door unit to be trimmed. The unit can be measured with or without brickmould; however the brickmould is essential when using a storm door. Next, choose the desired pilaster style and size. Finally, choose a pediment or crosshead that is wide enough to span the opening plus the brickmould and pilasters or flat trim. Add desired accessories to complete the look.

Window & Door Trim Accessories

Keystones, dentil trim, trim strip and bottom trim accessories are available attached to standard products as fabricated products. A keystone can also be ordered as an unattached accessory.




How to Order Trimmable Crosshead	Example
(1) Determine height.	6" high
$\overbrace{2}^{\circ}$ Determine breast board width of crosshead.	36" width
 3 Select end cap width. End cap widths should coordinate with pilaster or moulding on either side of door / window. If no moulding is used, then any end cap can be selected. 	CHC4X6 (Coordinating over 3-1/2" flat trim
 Calculate trimmable crosshead; account for end cap. Crosshead breast board width - (end cap back surface x 2) = trimmable crosshead 	36" - (2.5" x 2) = 31" required*
5 Select trimmable crosshead.	CHT36X6
6 Optional: Select accessory moulding / keystone.	K6M and MLD716-12

WINDOW & DOOR TRIM APPLICATIONS


Distinction Crosshead with End Caps




Classic Crosshead without Accessories



Window Trim Terminology



Crosshead Options for Entry Way



Craftsman Cove Crosshead with End Caps

Note: A keystone cannot be used when combining a crosshead with a pediment.

Keystone Options

Keystone



Bottom Trim

Adds 1" to Height

Flat



Recessed



Ready-to-Install

- Our Distinction crosshead line includes heights measuring 6" and 9". Widths for 6" are 24" - 144", and widths for 9" are 24" - 216", both in 1" increments.
- End cap comes standard with 1-1/2" width and overlaps crosshead.

6" & 9" Distinction Crosshead

Ready-to-Install



[Profile] CH = Crosshead

[Breast Board Width] (1" increments) **24** = 24" [Minimum] **144** = 144" [Maximum for 6" high] **9** = 9" **216** = 216" [Maximum for 9" high] 10 = 10" (BT option only)

Distinction Crosshead with Coordinating Pilaster Widths Ready-to-Install




CH51	X6EC5
[Profile] CH = Crosshead	[Pila 5 = 5 7 = 7 9 = 9
[Crosshead Width] (1" increments) 51 = 51" [Minimum] 96 = 96" [Maximum]	EC = End Cap [Crosshead Heigh 6 = 6" 9 = 9"

*The last character in the part number coordinates with the pilaster width.



Part Number Logic:



Part Number Logic:

aster Width*] 5-1/4"

ht1

If pilasters are to be included as part of the opening, remember the following:

- 1) Remember to account for lighting, door bells, mailboxes or any other item that could dictate the width of the pilaster.
- 2) Don't forget to take into account brickmould, if applicable
- 3) Breast board of crosshead should fit over the entire width of the right and left pilasters.

Trimmable

- Distinction trimmable crossheads are available in heights measuring 6" and 9", and widths measuring 36", 48", 144" and 216".
 - 36" and 48" widths allow for ease of handling and quick installation.
 - 144" and 216" widths can be cut to any length, minimizing waste in the field.
- End caps overlap the trimmable crosshead.
- End caps may be routed.

6" & 9" Distinction Crosshead





6" Height	9" Height	Overall Width
CHT36X6	CHT36X9	36"
CHT48X6	CHT48X9	48"
CHT144X6	CHT144X9	144-³/8"
CHT216X6	CHT216X9	216-5/8"

End Caps






CHC11X9*



11"

4"




1	-½" End Cap	3-1/2" End Cap	7" End Cap		11" End Cap		Bottom View	Top Vie
		6" Height			9" Height		Breast Board	
	Qty 1	Qty 5	Overall Width (A)	Qty 1	Qty 5	Overall Width (A)	Width (B)	Rabbet Widt
	CHC2X6	CHC2X6-5	3-1/4"	CHC2X9	CHC2X9-5	4-1/4"	1- ¹ /2"	1/2"
	CHC4X6	CHC4X6-5	5-1/4"	CHC4X9	CHC4X9-5	6-1/4"	3-1/2"	1"
	CHC7X6*	CHC7X6-5*	8-3/4"	CHC7X9*	CHC7X9-5*	9-3/4"	7"	4"

CHC11X9-5*

13-³/4"

Distinction Accessories



Note: End caps are sold in pairs. *Trimmable up to 3-1/2".

CHC11X6-5*

12-³/4"

CHC11X6*

Window & Door Trim



6" Height	9" Height
K6M	К9М
MLD357-8	MLD358-8
MLD716-12	MLD758-12

CRAFTSMAN COVE CROSSHEAD



Ready-to-Install


- Our expanded Craftsman Cove crosshead line includes heights measuring 9" and widths measuring 24" 216", in 1" increments.
- End caps come standard with $3-1/2^{"}$ width and overlap crosshead.
- End caps may be routed.

9" Craftsman Cove Crosshead



Part Number Logic:





If flat trim is to be included as part of the opening, remember the following:

- 1) Account for lighting, door bells, mailboxes or any other item that could dictate the width of the trim.
- 2) Don't forget to take into account brickmould, if applicable.
- 3) Breast board of the crosshead or crosshead end cap should fit over both the left and right trim pieces.



Trimmable

- Our expanded Craftsman Cove crosshead line includes a 9" height, measuring 36", 48", 144" and 216".
- End caps do not come standard with trimmable product. They must be ordered. 3-1/2" or 5-1/2" end caps are optional; complement standard trim widths.
- End caps overlap crosshead.
- Crosshead and end caps may be routed.

9" Craftsman Cove Crosshead

Trimmable

	1 /2
Part Number	Overall Width
CHCCT36X9BT	36"
CHCCT48X9BT	48"
CHCCT144X9BT	144"
CHCCT216X9BT	216"

How to Order



- (2) Determine breast board width. When installing over side trim CHCCC6X9BT coordinates best with 5-1/4" pilaster and 5-1/2" wide trim.
- (3) Select end cap width.






9" Craftsman Cove End Caps



Part Number	Overall Width (A)	Width (B)	Rabbet Width (C)	
CHCCC4X9BT	5"	3-1/2"	1/2"	
CHCCC4X9BT-5*	5	U ⁻ /2	1/2	
CHCCC6X9BT	7"	5 1/c"	1 /0"	
CHCCC6X9BT-5*	7	5-1/2"	1/2"	







Bottom View



Top View



6" Craftsman Step Crosshead


Part Number	Ove
CHCST36X6	
CHCST48X6	
CHCST144X6	14
CHCST216X6	2

8" Craftsman Step Crosshead

	$ \begin{array}{ c c c c c c c c c c c c c c c c c c c$
Overall Width	Height
36"	8- ¹ /4"
48"	8-1/4"
144-³/8"	8-1/4"
216-5/8"	8-1/4"
	36" 48" 144- ³ /8"



Note: Craftsman Step crossheads may be routed. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.







Fabricate trimmable crosshead to create mitered ends for a traditional look.

Window & Door Trim



6" Classic Crosshead

•	Width	
	Overall Width	

Part Number	Width	Overall Width
WCH24X6	24"	27- ¹ /2"
WCH28X6	28"	31- ¹ /2"
WCH30X6	30"	33-1/2"
WCH31X6	31"	34- ¹ /2"
WCH32X6	32"	35-1/2"
WCH33X6	33"	36- ¹ /2"
WCH34X6	34"	37- ¹ /2"
WCH35X6	35"	38- ¹ /2"
WCH36X6	36"	39- ¹ /2"
WCH37X6	37"	40- ¹ /2"
WCH38X6	38"	41- ¹ /2"
WCH40X6	40"	43- ¹ /2"
WCH41X6	41"	44- ¹ /2"
WCH43X6	43"	46- ¹ /2"
WCH44X6	44"	47- ¹ /2"
WCH46X6	46"	49- ¹ /2"
WCH47X6	47"	50- ¹ /2"
WCH48X6	48"	51-1/2"
WCH50X6	50"	53-1/2"
WCH51X6	51"	54- ¹ /2"
WCH52X6	52"	55-1/2"
WCH54X6	54"	57-1/2"
WCH56X6	56"	59- ¹ /2"

*Bottom trim adds 1" to overall height.


WCH24X6 Configuration w/ Keystone = K Crosshead Breast Board Width w/ Dentil = D w/ Trim Strip = T Height w/ Bottom Trim = 7BT* (WCH24X7BT) w/Route = R 3"_____ 3" 6" 1"-----**6**"╞ 2-1/2"- -1만나 144 1-3/4"-w/ Dentil Trim w/ Bottom Trim* w/ Trim Strip Overall Width Part Number Width 60" 63-1/2" WCH60X6 67-¹/2" WCH64X6 64" **69-**¹/2" WCH66X6 66" 67" 70-¹/2" WCH67X6 68" **71-**¹/2" WCH68X6 WCH72X6 72" 75-¹/2" WCH73X6 73" **76-**¹/2" WCH74X6 74" 77-¹/2" WCH76X6 76" **79-**¹/2" **81-**¹/2" WCH78X6 78" 82-1/2" WCH79X6 79" **83-**¹/2" WCH80X6 80" WCH80.5X6 **80-**¹/2" 84" WCH84X6 84" **87-**¹/2" **89-**¹/2" WCH86X6 86" WCH87X6 87" 90-¹/2" **99-**¹/2" WCH96X6 96" WCH100X6 100" 103-¹/2" WCH103X6 103" 106-¹/2" 107-¹/2" WCH104X6 104" WCH108X6 **111-**¹/2" 108" 113-¹/2" WCH110X6 110"

144"

147-¹/2"

WCH144X6

Part Number Logic:



1-%"-

4-1/2"

10"

1-3/4"-

9" 🗮

1_3%"__

9" Classic Crosshead




	144-141			
Part Number WCH20X9	Width 20"	Overall Width 25- ¹ /2"	Part Number WCH56X9	
WCH20X9	20	29- ¹ /2"	WCH58X9	
WCH24X9 WCH25X9	24 25"	29-1/2 30-1/2"	WCH58X9 WCH60X9	
WCH25X9 WCH26X9	25		WCH60X9 WCH62X9	
		31- ¹ /2"		
WCH27X9	27"	32-1/2"	WCH64X9	
WCH28X9	28"	33-1/2"	WCH65X9	
WCH29X9	29- ⁵ /8"	35-1/8"	WCH66X9	
WCH30X9	30-1/4"	35-3/4"	WCH67X9	
WCH32X9	32"	37-1/2"	WCH68X9	
WCH33X9	33"	38-1/2"	WCH69X9	
WCH34X9	34"	39-1/2"	WCH70X9	WCH70X9 70"
WCH35X9	35"	40-1/2"	WCH72X9	WCH72X9 72"
WCH36X9	36"	41 - ¹ /2"	WCH73X9	WCH73X9 73"
WCH37X9	37"	42-1/2"	WCH74X9	WCH74X9 74"
WCH38X9	38"	43-1/2"	WCH75X9	WCH75X9 75"
WCH40X9	40"	45-1/2"	WCH76X9	WCH76X9 76"
WCH41X9	41"	46-1/2"	WCH77X9	WCH77X9 77"
WCH42X9	42"	47- ¹ /2"	WCH78X9	WCH78X9 78"
WCH43X9	43"	48-1/2"	WCH80X9	WCH80X9 80"
WCH44X9	44"	49-1/2"	WCH81X9	WCH81X9 81"
WCH45X9	45"	50-1/2"	WCH82X9	WCH82X9 82"
WCH46X9	46"	51-1/2"	WCH84X9	WCH84X9 84"
WCH48X9	48"	53- ¹ /2"	WCH85X9	WCH85X9 85"
WCH49X9	49"	54- ¹ /2"	WCH86X9	WCH86X9 86"
WCH50X9	50"	55- ¹ /2"	WCH88X9	WCH88X9 88"
WCH54X9	54"	59- ¹ / ₂ "	WCH90X9	WCH90X9 90"

4-1/2"

1-%

2-½"-




9" Classic Crosshead

Part Number	Width	Overall Width
WCH93X9	93"	98- ¹ /2"
WCH96X9	96"	101-1/2"
WCH99X9	99"	104-1/2"
WCH100X9	100"	105-1/2"
WCH101X9	101"	106-1/2"
WCH103X9	103"	108-1/2"
WCH104X9	104"	109-1/2"
WCH108X9	108"	113-1/2"
WCH110X9	110"	115-1/2"
WCH112X9	112"	117-1/2"


30

Part Number	Logic:
Crosshead Breast Board Width Height	Configuration w/ Keystone = K w/ Dentil = D w/ Trim Strip = T w/ Bottom Trim = 11BT* (CCA32X11BT) w/ Route = R

10" Classic Crosshead



Part Number



Overall Width



12" Classic Crosshead

◀	Width	
•	Overall Width	

Part Number	Width	Overall Width
WCH36X12	36"	41- ¹ /2"
WCH37X12	37-5/8"	43-1/8"
WCH40X12	40"	45-1/2"
WCH44X12	44"	49-1/2"
WCH48X12	48"	53-1/2"
WCH54X12	54"	59-1/2"
WCH56X12	56"	61- ¹ /2"
WCH64X12	64"	69- ¹ /2"

CCA32X10	32"	37-1/4"
CCA34X10	34"	39-1/4"
CCA36X10	36"	41-1/4"
CCA40X10	40"	45-1/4"
CCA47X10	47"	52-1/4"
CCA52X10	52"	57-1/4"
CCA64X10	64"	69- ¹ /4"
CCA72X10	72"	77-1/4"
CCA100X10	100"	105-1/4"
CCA106X10	106"	111-1/4"
CCA199X10	199"	204-1/4"
CCA200X10	200"	205-1/4"

Width



Part Number Logic:

WCH36X12_ Crosshead

Breast Board Width

Configuration w/ Keystone = K w/ Dentil = D Height w/ Trim Strip = T w/ Bottom Trim = 13BT* (WCH36CX13BT) w/ Route = R

4-1/2"_---

13"

1-3/4 "-









w/ Dentil Trim

Part Number	Width	Overall Width
WCH72X12	72"	77-1/2"
WCH96X12	96"	101-1/2"
WCH102X12	102"	107-1/2"
WCH104X12	104"	109-1/2"
WCH144X12	144"	149-1/2"
WCH200X12	200"	205-1/2"
WCH203X12	203"	208-1/2"
WCH213X12	213"	218-1/2"

6" Crosshe	ad Arch		4.	1". <u>3-7/</u> 8"
		Width Overall Width	ht 10" 3/4"	2, 1
Part Number	Part Number w/ Keystone	Width	Overall Width	Height
WCH6ARS34X10	WCH6ARS34X10K	34"	42-7/8"	10"
			Crosshead Breast Board WCHARS3	
9" Crosshe	ead Arch	Height Height Overall Width	Height	-1-3/"-6"- Height Height Height Height Height 1"-1-1-1/" Height 1"-1-1-3/" Keystone K9M w/ Bottom Trim*
Part Number	Width	Overall Widt	h	Height
WCHARS33X14	33"	48- ¹ /8"		14"
WCHARS36X13	36" 43"	49-1/4"		13"
WCHARS43X13	43 54"	55-1/4" 68-1/8"		13" 16"
WCHARS54X16	54			14"
WCHARS64X14 WCHARS68X12	68"	75-1/2" 77-1/4"		14
WCHARS68X16	68"	80 -7/8"		16"
WCHARS72X13	72"	82 -1/8"		13"
WCHARS75X13	75"	84- ⁷ /8"		13-3/8"
WCHARS80X15	80"	91-1/4"		15"
WCHARS84X16	84"	95- ³ /4"		16"
WCHARS89X13	89"	98- ³ /8"		13"
WCHARS97X17	97"	108-3/4"		17"
WCHARS101X13	101"	110"		13"
WCHARS108X19	108"	119-7/8"		19-1/4"

10" Eyebrow Crosshead



Part Number	Width	
WCHSEG28X10	37-1/4"	
WCHSEG30X10	39-1/8"	
WCHSEG34X10	44"	
WCHSEG36X10	45"	
WCHSEG43X10	48"	
WCHSEG44X10	49"	
WCHSEG64X10	73-1/4"	
WCHSEG72X10	81"	

Large Door Crosshead




Part Number	Width	Overall Wic
LDCH58X18	58"	67- ¹ /2"
LDCH62X18	62"	71-1/2"
LDCH87X18	87"	96- ¹ /2"
LDCH90X18	90-1/2"	100"
LDCH94X18	94-1/2"	104"


Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

6" Crosshead Arch


*Bottom trim adds 1" to overall height.

34





Inside Width	Overall Width
28"	41-1/2"
29-7/8"	43-3/8"
34"	48-1/4"
36"	49-1/4"
43"	52-1/4"
44"	53-1/4"
64"	77-1/2"
72"	85-1/4"



Window & Door Trim

Half-Round Spoked Pediment

Width (A)

36"

48"

72"



HRSP72X36

B

Projection (C) **1-**³/4"

1-³/4"

1-³/4"

Height (B)

18"

24"

36"

	vstone DM Page 55
Flat Trim	Decorative Trim
AR36X4F	AR36X4M, AR36X6I
AR36X6F	AR36X10MC

AR48X4M, AR48X6M

AR72X6M

3-¹/2"

AR48X4F

AR48X6F

AR72X4F



Half-Round Sunburst






Part Number	Width (A)	Height (B)
SWDH24X12	24"	12"
SWDH28X14	28"	14"
SWDH30X15	30"	15"
SWDH32X16	32"	16"
SWDH33X17	33-5/8"	16- ³ /4"
SWDH36X18	36"	18"
SWDH37X19	37-5/8"	18- ³ /4"
SWDH40X20	40"	20"
SWDH42X21	42"	21"
SWDH44X22	44"	22"
SWDH48X24	48"	24"
SWDH56X28	56"	28"
SWDH60X30	60"	30"
SWDH64X32	64"	32"
SWDH68X34	68"	34"
SWDH72X36	72"	36"
SWDH76X38	76"	38"
SWDH100X50	100"	50"

Segment Sunburst

			Keystone KWM180M Page 55
Part Number	Width (A)	Height (B)	Projection (C)
SWDH36X9	36"	9"	1-3/4"
SWDH40X10	40"	10"	1-3/4"
SWDH48X13	48"	13"	1- ³ /4"
SWDH68X14	67- ⁵ /8"	14"	1- ³ /4"
SWDH72X14	72"	14"	1-3/4"
SWDH76X15	76"	15"	1- ³ /4"
SWDH80X15	79-1/2"	15"	1- ³ /4"


Elliptical Sunburst

ESWDH76X23



23"


76-⁷/8''





Keystone KWM180M Page 55

Projection (C)	Flat Trim	Decorative Trim
1-3/4"	AR24X4F	
1-3/4"	—	—
1 - ³ /4"	—	—
1- ³ /4"	—	—
1- ³ /4"	_	—
1- ³ /4"	AR36X4F AR36X6F	AR36X4M, AR36X6M AR36X10MC
1- ³ /4"	AR37X4F	_
1- ³ /4"	_	AR40X6M DVP40
1- ³ /4"	_	—
1- ³ /4"	_	—
1- ³ /4"	AR48X4F AR48X6F	AR48X4M, AR48X6M
1- ³ /4"	_	—
1- ³ /4"	_	AR60X6M
1- ³ /4"	_	AR64X10MC
1-3/4"		_
1-3/4"	AR72X4F	AR72X6M
1-3/4"	_	_
1-3/4"	_	_




Combination Sunburst Pediment



Part Number	Width (A)	Overall Width (B)	Height (C)	Projection (D)	Breast Board Thickness	Part Number w/ Bottom Trim*
CSP54	54"	58-1/2"	21-3/8"	3-1/8"	1"	CSP54BT
CSP75	75"	79-5/8"	23-3/4"	3-1/8"	1"	CSP75BT
CSP80	80"	84-5/8"	25-1/2"	3-1/8"	1"	CSP80BT
CSP85	85"	89-1/2"	26-3/8"	3-1/8"	1"	CSP85BT

Sunburst Pediment







Part Number	Width (A)	Overall Width (B)	Height (C)	Projection (D)	Crosshead
SP56	55-1/4"	57"	16- ³ /4"	4- ¹ / ₂ "	WCH50X9
SP667	66- ³ /4"	69- ¹ /4"	20-3/8"	5-1/2"	LDCH58X18 LDCH62X18
SP86	85-5/8"	87-1/4"	22- ¹ /2"	4 - ¹ / ₂ "	WCH81X9
SP91	90- ¹ /2"	92- ¹ /2"	26"	4- ¹ / ₂ "	WCH86X9

Combination Segment Arch Pediment

Part Number	Width (A)	Overall Width (B)	Height (C)	Projection (D)	Part Number w/ Bottom Trim*
CSAP36	36"	41- ¹ /2"	20"	4- 1/2"	CSAP36BT
CSAP48	48"	53-1/2"	22-1/2"	4- ¹ /2"	CSAP48BT
CSAP65	65"	70-1/2"	28-3/8"	4- ¹ /2"	CSAP65BT
CSAP84	84"	89-1/2"	28"	4- ¹ /2"	CSAP84BT

*Bottom trim adds 1" to overall height. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.






Peaked Cap Pediment


В	
	A

Part Number	Overall Width (A)	Overall Height (B)	Projection (C)	Pitch (D)	Crosshead
PCP56	56- ¹ /2"	13-5/8"	4- ¹ /2"	5-1/2 / 12	WCH50X9
PCP667	68- ³ /4"	23-5/8"	5-1/2"	8 / 12	LDCH58X18 LDCH62X18

Combination Peaked Cap Pediment








Part Number	Width (A)	Overall Width (B)	Overall Height (C)	Projection (D)	Pitch (E)	Breast Board Thickness	Part Number w/ Bottom Trim*
CPCP48	47- ¹ /2"	52"	19- ¹ /2"	3-1/8"	6/12	1"	CPCP48BT
CPCP50	50"	54-1/2"	20-1/4"	3-1/8"	6/12	1"	CPCP50BT
CPCP54	54"	58-1/4"	21"	3-1/8"	6/12	1"	CPCP54BT
CPCP58	58"	62-3/8"	22"	3-1/8"	6/12	1"	CPCP58BT
CPCP67	67-1/2"	72"	24- ¹ /2"	3-1/8"	6/12	1"	CPCP67BT
CPCP75	75"	79-1/2"	26-1/4"	3-1/8"	6/12	1"	CPCP75BT
CPCP80	80"	84-1/2"	27-5/8"	3-1/8"	6/12	1"	CPCP80BT
CPCP85	85"	89-1/2"	28-3/4"	3-1/8"	6/12	1"	CPCP85BT

Combination Peaked Cap Pediment






Height (C)	Projection (D)	Part Number w/ Bottom Trim*
20-1/2"	4-1/2"	CCP37BT

Acorn Pediment






Note: Acorn ships unattached in carton.

Part Number	Overall Width (A)	Overall Height (B)	Projection (C)	Pitch (D)	Crosshead
AP56	57"	16- ⁵ /8"	4-1/2"	6-1/2/12	WCH50X9
AP61	62"	16- ³ /4"	4- ¹ /2"	7 / 12	WCH54X9 WCH56X9
AP667	68- ⁷ /8''	23-1/4"	5-1/2"	12/12	LDCH58X18 LDCH62X18
AP86	87-1/4"	24"	4-1/2"	7 / 12	WCH81X9
AP91	92-1/8"	24-1/2"	4-1/2"	6 / 12	WCH86X9
AP98	99-1/8"	24- ¹ /2"	4-1/2"	6 / 12	WCH90X9 WCH93X9

Acorn Pediment



Combination Acorn Pediment



Rams Head Pediment

Note: Urn ships un	attached in carton.			
Part Number	Overall Width (A)	Overall Height (B)	Projection (C)	Crosshead
RHP56	60-7/8"	19-1/8"	4- ¹ /2"	WCH50X9
RHP86	93-1/4"	29- ¹ /2"	4-1/2"	WCH81X9


Rams Head Pediment

with Decorative Trim

Crosshead

9" WCH from

100"-110"



Combination Rams Head Pediment







Note: Urn ships unattached in carton.

Part Number	Width (A)	Overall Width (B)	Overall Height (C)	Projection (D)	Breast Board Thickness	Part Number w/ Bottom Trim*
CRHP54	54"	58"	23-1/2"	3-1/8"	1"	CRHP54BT
CRHP67	67-1/2"	71- ¹ /2"	27"	3-1/8"	1"	CRHP67BT
CRHP75	75"	79"	29-1/8"	3-1/8"	1"	CRHP75BT
CRHP80	80"	84"	35-3/4"	3-1/8"	1"	CRHP80BT
CRHP85	85"	89"	33-5/8"	3-1/8"	1"	CRHP85BT

Window & Door Trim



erall Height (B)	Projection (C)	Crosshead
21- ¹ /2"	5-1/2"	LDCH58X18 LDCH62X18
29-3/8"	5-1/2"	LDCH90X18 LDCH94X18






Deluxe Victorian Pediment



Part Number	Inside Width (A)	Inside Height	Overall Width (B)	Radius	Pitch (C)	Accessories
DVP40	40"	24- ¹ /2"	67-1/4"	20"	7 / 12	PIL8X90P, PIL8X108P SWDH40X20


7" Panel Arch

with Sunburst & Keystone





Note: PIL7X90DP matches this arch profile only.

10" Decorative Arch



Note: This arch matches PIL10X96A and PIL10X192A only.






Plain Narrow Pilaster Part Number PIL7X90PE* D




*Sold as a set. Pilaster may be routed for J-Channel. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

/idth (A)	Height (B)	Projection (C)	Plinth Block Height (D)
5- ¹ /4''	90"	1-5/8"	10-1/8"
6"	90"	2- ¹ /2"	13-1/4"
7"	90"	2- ¹ /2"	13 -1/4"
8"	90"	2- ¹ /2"	13-1/4"
9"	90"	3"	14- ¹ /2"
11"	90"	3-1/2"	13-1/4"

Vidth (A)	Height (B)	Projection (C)	Plinth Block Height (D)
7"	90"	1 - ¹ /4"	14- ¹ /4"
The State State State			
-///			
1			



Part Number	Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
PIL5X108P*	5-1/4"	108"	1-5/8"	10"
PIL6X120P*	6"	120"	2-1/2"	13-1/4"
PIL7X108P*	7"	108"	2-1/2"	13"
PIL7X120P*	7"	120"	2-1/2"	13"
PIL8X108P*	8"	108"	2-5/8"	13"
PIL9X108P*	9"	108"	3"	14- ¹ /2"
PIL9X120P*	9"	120"	3"	14- ¹ /2"
PIL10X120P*	10"	120"	3-1/4"	14- ¹ /2"
PIL11X96P*	11"	96"	3-1/2"	14-1/2"
PIL11X108P*	11"	108"	3-1/2"	14-1/2"
PIL11X109P*	11"	109"	3-1/2"	14-1/2"
PIL11X120P*	11"	120"	3-1/2"	14- ¹ /2"




D

Double Panel Pilaster Molded with Plinth

Plain Pilaster

A

Part Number	Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
PIL5X90DP*	5-1/4"	90"	1-5/8"	10-1/8"
PIL7X90DP*	7"	90"	2-1/2"	13-1/4"
PIL9X90DP*	9"	90"	3"	14-1/2"
PIL9X100DP*	9"	100"	3"	14-1/2"
PIL11X90DP*	11"	90"	3-1/2"	14-1/2"
PIL11X108DP*	11"	108"	3-1/2"	14- ¹ /2"



Fluted Pilaster


Part Number	
PIL3X81*	
PIL4X83*	
PIL4X86*	
PIL4X90*	
PIL5X82*	
PIL5X90*	
PIL6X90*	
PIL7X90*	
PIL9X90*	
PIL11X90*	

*Sold as a set. Pilaster may be routed for J-Channel. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

Double Panel Narrow Pilaster

Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
7"	90"	1-1/4"	14- ¹ /4"


Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
3- ¹ /2"	81"	1- ⁵ /8"	10"
4- ¹ /2"	82- ³ /4"	1-5/8"	7-3/4"
4- ¹ /2"	86"	1-5/8"	11"
4- ¹ /2"	90"	1-5/8"	10"
5- ¹ /4''	82"	1-3/4"	8"
5- ¹ /4''	90"	1- ³ /4"	10-1/8"
6-1/4"	90"	2-1/2"	13-1/4"
7"	90"	2-1/2"	13-1/4"
9"	90"	3"	14- ¹ /2"
11"	90"	3-1/2"	14-1/2"



Fluted Narrow Pilaster Molded with Plinth

Part Number	Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
PIL3X90E*	3"	90"	1-1/4"	14-1/4"
PIL5X90E*	5-1/4"	90"	1 - ¹ /4"	14-1/4"
PIL7X90E*	7"	90"	1 - ¹ /4"	14- ¹ /4"
PIL9X90E*	9"	90"	1-1/4"	14- ¹ /4"







Fluted Pilaster

Two-Piece Adjustable

· · · · · · · · · · · · · · · · · · ·				
Part Number	Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
PIL3X108*	3-1/2"	108"	1- ⁵ /8"	10"
PIL4X108*	4 - ¹ /2"	108"	1-5/8"	10"
PIL5X108*	5-1/4"	108"	1-5/8"	10"
PIL6X108*	6-1/4"	108"	2-1/2"	13-1/4"
PIL6X144*	6-1/4"	144"	2-1/2"	13-1/4"
PIL7X102*	7"	102"	2-1/2"	13-1/4"
PIL7X108*	7"	108"	2-1/2"	13"
PIL7X144*	7"	144"	2-1/2"	13"
PIL8X90*	8"	90"	2-1/2"	13"
PIL8X108*	8"	108"	2-1/2"	13"
PIL8X144*	8"	144"	2-1/2"	13"
PIL9X102*	9"	102"	3"	14-1/2"
PIL9X108*	9"	108"	3"	14- ¹ /2"
PIL9X144*	9"	144"	3"	14- ¹ /2"
PIL11X108*	11"	108"	3-1/2"	14-1/2"
PIL11X120*	11"	120"	3-1/2"	14- ¹ /2"
PIL11X144*	11"	144"	3-1/2"	14- ¹ /2"





Adjustable Column

Part Number	Width (A)	Shaft Height** (B)	Top Projection (C)	Bottom Projection (D)
PIL10X96HC*	10"	93-5/8"	4-7/8"	5-1/2"

**Overall height is adjustable from 80"-96". Shaft sits on top of plinth, which is 3" in height.

*Sold as a set. Pilaster may be routed for J-Channel. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

Fluted Narrow Pilaster

Width (A)	Height (B)	Projection (C)	Plinth Block Height (D)
5-1/4"	120"	1 - ¹ /4"	14- ¹ /4"
7"	120"	1 - ¹ /4"	14 - ¹ /4"

Width (A)	Height (B)	Projection (C)
10"	96"	2- ³ /8"
10"	192"	2- ³ /8"

Half-Round Pilaster

Fluted Panel Trim


	B

0000	Part Number	Width (A)	Height (B)	Projection (C)
	FP9X168*	8-1/2"	168"	1-1/4"
	FP12X96	12"	96"	1-1/2"

*Actual product has flutes running the full length on this size only.




Half-Round Arch Trim 4F Flat



Note: This part uses keystones K4TF and KP4TF only.

Half-Round Arch Trim 4M Decorative



Note: This part uses keystones K4TM and KP4TM only.


Accessori	es
/ 10000001	00



$\frac{3/4^{*}}{\uparrow} \xrightarrow{4} 4M$	Keystone K4TM	Keystone KP4TM	Moulding MLD215	
Inside Height (B)		Rad	ius (C)	
22"			18"	
28"			24"	

Half-Round Arch Trim 6F Flat


Window & Door Trim



Note: This part uses keystones K6TF and KP6TF only.

Half-Round Arch Trim

6M Decorative



Part Number	Inside Width (A)	Inside Height (B)	Radius (C)
AR36X6M	36"	21"	18-1/8"
AR40X6M	40"	24"	20"
AR48X6M	48"	28"	24"
AR60X6M	60"	34"	30"
AR72X6M	72"	40"	36"

6M

Note: This part uses keystones K6TM and KP6TM only.


Half-Round Arch Trim 10M Decorative



Part Numbe

AR36X10MC

AR64X10MC*



Accessories

Keystone

KP6TM

Moulding

MLD220

Accessories

Keystone

Pilaster


Keystone

K6TM




Half-Round Arch with Flankers 10M Decorative

			<u>4</u> -½" 9"		B C
Part Number	Inside Width (A)	Inside Height / Radius (B)	Flanker Width (C)	Overall Width (D)	Accessories
AR36X10MFL108	36"	18"	36"	108"	K10TM SWDH36X18



Oval Trim 4F Flat

CIR36X4F




Part Number	Inside Width (A)	Inside Height (B)	Projection (C)	Trim Width (D)
0V24X36X4F	24-1/8"	36-1/8"	1"	3-1/2"

36-1/8"

Oval Trim 4M Decorative

Part Number


0V24X36X4M



24-¹/8"

Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

*Part ships in two pieces and will need to be trimmed in field to fit.



Projection (B)	Trim Width (C)
1"	3-1/2"
1"	3-1/2"


nside Height (B)	Projection (C)	Trim Width (D)
36-1/8"	1-3/4"	3-1/2"

Window & Door Trim

Window Panel A-L-Flat Panel Part Number Thickness (A) Width (B) Height (C) 1" 96" FLT40X96* 40" WDP48X73F **1-**¹/8" 48" 73" *Can also be found on page 87 under Flat Trim. Thickness = 1-1/8"

Window Panel Raised Panel

Part Number	Overall Width (A)	Panel Width (B)	Overall Height (C)	Panel Height (D)	Border Width (E)	Border Height (F)
WDP36X18	36"	28"	18"	10"	4"	4"



Dormer Trim System

Part Number	Width (A)	Overall Width (B)	Overall Height (C)	Projection (D)	Pitch (E)	
DMP44 Pediment	43- ³ /4"	49- ¹ /4"	33-1/4"	4-1/2"	14/12	
DMST7X69 Side Trim Set	6-3/4"	_	68- ⁵ /8"	1-1/2"	_	$D \rightarrow \leftarrow \qquad \leftarrow \qquad C \rightarrow \uparrow \land \land$
DMR457-10 Return	_	_	_	_	_	

Keystones

	Part Number	Top Width (A)	Bottom Width (B)	Height (C)	Top Projection (D)	Bottom Projection (E)	Arches & Trim	
	K6*	4 - ³ /4"	2-3/4"	6-1/2"	2-1/4"	1-5/8"		
	K8*	9-3/4"	5- ³ /4"	7-3/4"	2-1/4"	1 - ¹ /4"	—	
	K6M	5-3/4"	4"	7"	3-7/8"	1- ¹ /2"	6" WCH, 6" WCH w/ BT 6" CH, 6" CH w/ BT	г—А, г—D
	K9M	8"	6"	11"	6-1/8"	1-1/8"	9" WCH, 9" WCH w/ BT 9" CH, 9" CH w/ BT	C C
	K12M	8-1/2"	6"	13"	5-3/4"	2-1/8"	12" WCH	
T	K10SEG	8"	6"	8- ¹ /2"	4-5/8"	3/4"	10" WCHSEG	
1	KCCA10	8"	6"	11"	6"	1-1/8"	10" CCA	
	KP6M	5-3/4"	4"	7"	4-1/8"	1-3/4"	6" WCH, 6" WCH w/ BT 6" CH, 6" CH w/ BT	
	KP9M	8"	6"	11"	6-1/4"	1-5/8"	9" WCH, 9" WCH w/ BT 9" CH, 9" CH w/ BT	
	K4TF	4- ¹ /4"	3"	4- ¹ /2"	2-1/4"	1/2"	4F Arches FLT152	
	K6TF	6"	4"	7"	2-3/8"	5/8"	6F Arches FLT159	
	K8TF	7"	5"	8-7/8"	2-1/2"	3/4"	FLT162	□ −−B −≠┘ E −≠┘ +∞−
	K4TM	4 - ¹ /4"	3"	4- ¹ /2"	2-1/4"	3/4"	4M Arches MLD215 6M Arches	
	K6TM	6"	4"	7"	2-3/8"	7/8"	MLD220 DWH221 10M Arch Trim	
	K10TM	8"	5- ¹ /2"	11- ¹ /2"	4"	1- ³ /4"	PIL10X96A PIL10X192A	⊾B↓ E++++
	KP4TF	4-1/4"	3"	4- ¹ /2"	2-1/4"	1/2"	4F Arches FLT152	
	KP6TF	6"	4"	7"	2-3/8"	5/8"	6F Arches FLT159	
	KP4TM	4-1/4"	3"	4- ¹ /2"	2-3/4"	3/4"	4M Arch Trim MLD215	
	KP6TM	6"	4"	7"	2- ¹ /2"	7/8"	6M Arch Trim MLD220 DWH221	
T	KWM180M	2- ³ /4"	2"	3-1/8"	2-1/2"	_	Brick Mould Louvers / Trim MLDWM180	

*Keystones K6 and K8 are not molded on back side. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

Window & Door Trim

Louvered Shutter

Window & Door Trim



		Part Number	Width (A)	Height (B)	Projection (C)
		LVSH12X36FNCR	12"	36"	1"
		LVSH12X48FNCR	12"	48"	1"
		LVSH16X54FNCR	16"	54"	1"
	B	LVSH16X60FNCR	16"	60"	1"
		LVSH16X72FNCR	16"	72"	1"
		LVSH18X60FNCR	18"	60"	1"
		LVSH18X66FNCR	18"	66"	1"
		LVSH18X72FNCR	18"	72"	1"
		LVSH24X60FNCR	24"	60"	1"
		LVSH24X72FNCR	24"	72"	1"

Louvered Shutter

 Part Number

 LVSH16X54FNB

 LVSH16X72FNB

 LVSH18X54FNB

 LVSH18X54FNB

 LVSH18X54FNB

 LVSH18X72FNB


 LVSH18X72FNB

 LVSH24X60FNB

 LVSH24X72FNB



Raised Panel Shutter



Part Number	Width (A)	Height (B)	Projection (C)
SH16X48DP	16"	48"	1 - ¹ /4"
SH16X54DP	16"	54"	1 -1/4"
SH16X60DP	16"	60"	1 - ¹ /4"
SH16X65DP	16"	65"	1 - ¹ /4"
SH16X72DP	16"	72"	1-1/4"
SH18X53DP	18"	53"	1-1/4"
SH18X59DP	18"	59"	1-1/4"
SH18X66DP	18"	66"	1-1/4"
SH18X72DP	18"	72"	1-1/4"


Width (A)	Height (B)	Projection (C)
16"	54"	1"
16"	72"	1"
18"	54"	1"
18"	60"	1"
18"	72"	1"
24"	60"	1"
24"	72"	1"

Modern Farmhouse Shaker-Style Shutters


• Available in widths measuring 12", 16", 18" and 24", and heights measuring 24" - 120" in 1" increments.

- 2-16

- 2" wide stiles and $2-\frac{1}{2}$ " wide batten create the X-batten design.
- Stiles 1-3/8" deep with 5/8" recessed panel.
- Shaker-style shutter panels and flat trim are available to create your own farmhouse design, details on page 62.



Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon® representative.



12"	16"	18"	24"
SHMFH12X24	SHMFH16X24	SHMFH18X24	SHMFH24X24
SHMFH12X36	SHMFH16X36	SHMFH18X36	SHMFH24X36
SHMFH12X48	SHMFH16X48	SHMFH18X48	SHMFH24X48
SHMFH12X60	SHMFH16X60	SHMFH18X60	SHMFH24X60
SHMFH12X72	SHMFH16X72	SHMFH18X72	SHMFH24X72
SHMFH12X84	SHMFH16X84	SHMFH18X84	SHMFH24X84
SHMFH12X96	SHMFH16X96	SHMFH18X96	SHMFH24X96
SHMFH12X108	SHMFH16X108	SHMFH18X108	SHMFH24X108
SHMFH12X120	SHMFH16X160	SHMFH18X180	SHMFH24X240






58



Shaker-Style Shutters

- 2-flat panel recessed stile and rail design.
- Available in widths measuring 12", 16", 18" and 24", and heights measuring 24" 120" in 1" increments.
- 2" wide stiles with 2-1/2" wide rails. Center rail is positioned in the center of the shutter.
- Stiles 1-3/8" deep with 5/8" recessed panel.
- Shaker-style shutter panels and flat trim are available to create your own Craftsman design, details on page 62.



12"	16"
SH2FP12X24	SH2FP16X24
SH2FP12X36	SH2FP16X36
SH2FP12X48	SH2FP16X48
SH2FP12X60	SH2FP16X60
SH2FP12X72	SH2FP16X72
SH2FP12X84	SH2FP16X84
SH2FP12X96	SH2FP16X96
SH2FP12X108	SH2FP16X108
SH2FP12X120	SH2FP16X160

Note: Shutters are sold as a set.

Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon[®] representative. SH2FP12X24 [Profile] SH = Shutter [Height] [Configuration] [Width] **2FP** = 2-Flat Panel (1" Increments) 12 = 12" 16 = 16" 24 = 24" [Minimum] 18 = 18" 120 = 120" [Maximum] 24 = 24"

18"	24 ^ª
SH2FP18X24	SH2FP24X24
SH2FP18X36	SH2FP24X36
SH2FP18X48	SH2FP24X48
SH2FP18X60	SH2FP24X60
SH2FP18X72	SH2FP24X72
SH2FP18X84	SH2FP24X84
SH2FP18X96	SH2FP24X96
SH2FP18X108	SH2FP24X108
SH2FP18X180	SH2FP24X240

NEW

62

Shutter Board Fabrication Panels For Shaker-style and Modern Farmhouse Shaker-style Shutters

Individual Sheet Part Number	Width	Length	Thickness
SHSFP12X144	12"	144"	1-3/8"
SHSFP16X144	14"	144"	1- ³ /8"
SHSFP18X144	18"	144"	1-3/8"
SHSFP24X144	24"	144"	1-3/8"
FLT1X3-12	2-1/2"	144"	3/4"



WOOD-GRAINED SHUTTERS



- Our expanded line includes multiple styles and sizes, with widths measuring 12", 14", 18", and 24", and heights measuring 24"- 120" in 1" increments.
- Accessory line of hinges and clavos creates a distinct look for your shutters.
- Available in both Board & Batten and Plank styles.

BOARD & BATTEN – JOINED BOARD AND BATTEN STYLES



PLANK – SPACED BOARDS CREATE VISIBILITY OF SIDING BETWEEN SHUTTER BOARDS



7 BATTEN Horizontal and diagonal battens form Z shape.

Board & Batten Part Number Logic:

	SH3P(C18X60RS
	[Profile]	[Texture]
	SH = Shutter	RS = Rough Sawn Stain or Paint
[Config	guration]	[Height] (1" increments)
2PC = 2-Board, 2-Batten 3PC = 3-Board, 2-Batten 4PC = 4-Board, 2-Batten	2PZC = 2-Board, Z-Batten 3PZC = 3-Board, Z-Batten 4PZC = 4-Board, Z-Batten	24 = 24" [Minimum] 120 = 120" [Maximum]
2P3BC = 2-Board, 3-Batten 3P3BC = 3-Board, 3-Batten 4P3BC = 4-Board, 3-Batten	2PEBC = 2-Board, End Batten 3PEBC = 3-Board, End Batten 4PEBC = 4-Board, End Batten	[Width] 12 = 12" 14 = 14" 18 = 18" 24 = 24"

Quarter Round Part Number Logic:

SH3P	HLR182	X60RS
[Profile] SH = Shutter Configuration] PHLR = 2-Board Quarter PHLR = 3-Board Quarter PHLR = 4-Board Quarter	[Width] 12 = 12" 14 = 14" 18 = 18" 24 = 24"	[Texture] RS = Rou [Height] (1" in 24 = 24" [Mini 120 = 120" [M
	18 = 18"	

Z BATTEN Horizontal and diagonal battens form Z shape.





Mirrors the shape of unique elliptical windows.



DIAMOND Decorative diamond shape is centered between the panels.



ELLIPTICAL

Mirrors the shape of unique elliptical windows.

Plank Part Number Logic:

SH3P018X60RS

[Profile] SH = Shutter

[Configuration]

	-
2P0 = 2-Plank, 2-Batten	2PZ = 2-Plank, Z-Batten
3P0 = 3-Plank, 2-Batten	3PZ = 3-Plank, Z-Batten
4P0 = 4-Plank, 2-Batten	4PZ = 4-Plank, Z-Batten
	$\mathbf{2PD} = 2\text{-Plank}$, Diamond
3P3B = 3-Plank, 3-Batten	3PD = 2-Plank, Diamond
4P3B = 4-Plank, 3-Batten	4PD = 2-Plank, Diamond

[Texture] RS = Rough Sawn Stain or Paint

[Height] (1" increments) 24 = 24" [Minimum] 120 = 120" [Maximum]


[Width] **12** = 12"

18 = 18" **24** = 24"

ugh Sawn Stain or Paint crements imum1 Maximum]

Note: Minimum height for Quarter Round shutters is double the width of the shutter.


Example: SH3PHLR18x36RS - 18" = width of shutter and 36'' = height (twice the width).




12" Board & Batten Shutters

Rough Sawn Cedar







12" Board & Batten Shutters

Rough Sawn Cedar



Window & Door Trim

[Texture] **RS** = Rough Sawn, Stain or Paint

[Height] (1" increments) **24** = 24" [Minimum] 120 = 120" [Maximum]

> Note: Minimum height for Quarter Round shutters is double the width of the shutter

SH2PHLR12X24RS - 12" = width of shutter and 24" = height (twice the width).

2-Board, Quarter Round	
Part Number	
SH2PHLR12X24RS	
SH2PHLR12X36RS	
SH2PHLR12X48RS	
SH2PHLR12X60RS	
SH2PHLR12X72RS	
SH2PHLR12X84RS	
SH2PHLR12X96RS	
SH2PHLR12X108RS	
SH2PHLR12X120RS	




14" Board & Batten Shutters

Rough Sawn Cedar




Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon[®] representative.



14" Board & Batten Shutters

Rough Sawn Cedar



Note: Shutters are sold as a set.

68 Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

[Texture] **RS** = Rough Sawn, Stain or Paint

[Height] (1" increments) **24** = 24" [Minimum] 120 = 120" [Maximum]

> Note: Minimum height for Quarter Round shutters is double the width of the shutter.

Example: SH3PHLR14X28RS - 14" = width of shutter and 28'' =height (twice the width).






18" Board & Batten Shutters

Rough Sawn Cedar



Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon[®] representative.



	3-Board, Z-Batten
	Part Number
	SH3PZC18X24RS
	SH3PZC18X36RS
T	SH3PZC18X48RS
	SH3PZC18X60RS
	SH3PZC18X72RS
	SH3PZC18X84RS
	SH3PZC18X96RS
T	SH3PZC18X108RS
	SH3PZC18X120RS

Note: Shutters are sold as a set.

70 Parts may be required to ship LTL (less than truckload) based on size and overall dimensions. Window & Door Trim

RS = Rough Sawn, Stain or Paint

Note: Minimum height for Quarter Round shutters is double the width of the shutter.

Example: SH3PHLR18x36RS - 18" = width of shutter and 36'' =height (twice the width).

Part Number	
-	
SH3PHLR18X36RS	
SH3PHLR18X48RS	
SH3PHLR18X60RS	
SH3PHLR18X72RS	
SH3PHLR18X84RS	
SH3PHLR18X96RS	
SH3PHLR18X120RS	
SH3PHLR18X120RS	

3-Board, Quarter Round




Window & Door Trim

24" Board & Batten Shutters

Rough Sawn Cedar



Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon[®] representative.



	4-Board, Z-Batten
	Part Number
	SH4PZC24X24RS
	SH4PZC24X36RS
	SH4PZC24X48RS
	SH4PZC24X60RS
	SH4PZC24X72RS
	SH4PZC24X84RS
	SH4PZC24X96RS
CIVET	SH4PZC24X108RS
	SH4PZC24X120RS

Note: Shutters are sold as a set.


72 Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

[Texture] **RS** = Rough Sawn, Stain or Paint

[Height] (1" increments) **24** = 24" [Minimum] **120** = 120" [Maximum]

> Note: Minimum height for Quarter Round shutters is double the width of the shutter.

Example: SH3PHLR24X48RS - 24" = width of shutter and 48'' = height (twice the width).



4-Board, Quarter Round

12" Plank Shutters


Rough Sawn Cedar




18" Plank Shutters

Rough Sawn Cedar











Window & Door Trim

Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon® representative.

SH2PO12X24RS

	[Texture] RS = Rough Sawn Stain or Paint
	[Height] (1" increments)
atten	24 = 24" [Minimum]
atten	120 = 120" [Maximum]
atten	[Width]
mond	12 = 12"
mond	18 = 18"
mond	24 = 24"

4-Plank, 3-Batten	4-Plank, Z-Batten
Part Number	Part Number
SH4P3B24X24RS	SH4PZ24X24RS
SH4P3B24X36RS	SH4PZ24X36RS
SH4P3B24X48RS	SH4PZ24X48RS
SH4P3B24X60RS	SH4PZ24X60RS
SH4P3B24X72RS	SH4PZ24X72RS
SH4P3B24X84RS	SH4PZ24X84RS
SH4P3B24X96RS	SH4PZ24X96RS
SH4P3B24X108RS	SH4PZ24X108RS
SH4P3B24X120RS	SH4PZ24X120RS




Additional Sizes Available

Shutters measuring 24" - 120", in 1" increments, are available at standard lead time.

Elliptical Shutters - Board & Batten Rough Sawn Cedar



Part Number Logic:



Note: Minimum height (H2) for Elliptical Board & Batten shutters is double the width of the shutter. Example: SH3PEHLR18X35X36RS - 18" = width of shutter and 36" = height (twice the width). If a specific radius is required to complement an elliptical-shaped window, contact your customer service representative to order.




Elliptical Shutters - Plank Rough Sawn Cedar





To order an Elliptical Board <u>& Batten</u> shutter that complements the arch of the window, provide measurements of H1 (in 1/4" increments) and H2 (in 1" increments) in your part number. See drawing for specific measurement points.






To order an Elliptical Plank shutter that complements the arch of the window, provide measurements of H1 (in 1/4" increments) and H2 (in 1" increments) in your part number. See drawing for specific measurement points.




Window & Door Trim

Note: Shutters are sold as a set.




Note: Minimum height (H2) for Elliptical Board & Batten shutters is double the width of the shutter. Example: SH3PE18X35X36RS - 18" = width of shutter and 36" = height (twice the width). If a specific radius is required to complement an elliptical-shaped window, contact your customer service representative to order.



Diamond Plank Shutters


Rough Sawn Cedar

Window & Door Trim





Part numbers shown reflect common sizes. For additional options, follow the part number logic below or contact your Fypon[®] representative.



Wood-Grained Panel Shutter with Border

Part Number	Width	Height
SH3PB15X46S	15"	46"
SH3PB18X40S	18"	40"
SH3PB18X66S	18"	66"
SH3PB24X54S	24"	54"
Note: Shutters are sold as a set.		



Wood-Grained Shutter Board Fabrication Panels Rough Sawn Cedar

	Individual Sheet Part Number	Width	Length	Thickness	Contractor Pack Part Number
	SHBB12X144RS 2-Board Panel	12"	144"	3/4"	SHBB12X144RS-CP*
	SHBB14X144RS 3-Board Panel	14"	144"	3/4"	SHBB14X144RS-CP*
	SHBB18X144RS 3-Board Panel	18"	144"	3/4"	SHBB18X144RS-CP*
	SHBB24X144RS 4-Board Panel	24"	144"	3/4"	SHBB24X144RS-CP*
and a second second	FLT1X4-12RS Batten Trim	3-1/2"	144"	3/4"	_

Shutter Accessories - Hinges



Shutter Accessories - Clavos

Part Number	Diameter	Part Number	Width
SHCLARND1.25**	1-1/4"	SHCLAPYR1.25**	1 - ¹ /4"
SHCLARND1.25-8PACK	1 - ¹ /4"	SHCLAPYR1.25-8PACK	1 -1/4"
SHCLARND1.25-12PACK	1 - ¹ /4"	SHCLAPYR1.25-12PACK	1 -1/4"
SHCLARND1.25-18PACK	1 - ¹ /4"	SHCLAPYR1.25-18PACK	1 - ¹ /4"
SHCLARND1.25-24PACK	1 - ¹ /4"	SHCLAPYR1.25-24PACK	1 - ¹ /4"
SHCLARND1.25-100PACK	1 - ¹ /4"	SHCLAPYR1.25-100PAC	K 1- ¹ /4"



**Sold as a set. Note: Shutter accessories come primed and ready for paint. Parts may be required to ship LTL (less than truckload) based on size and overall dimensions.

	Part Number	Length
	SHHNGSPR10**	10"
0 0 0	SHHNGSPR16**	16"